GRAB BUCKETS

# Wood Grab Bucket

Wood Grab Bucket Working Principle Wood Grab Bucket is adjust to wood factory, large wood product factory, paper mill, port etc. industry. It is used to ship unload, outfit barges, log raft, load trucks. Its s...

ISO9001 Supplier

Class Certificate

Export Supply




## Key Highlights

| | |
|---|---|
| Category | Grab Buckets |
| Standard | DIN |
| Material | Wood Grab Bucket Technical Specifications The tonnage of the crane t 3t ... |
| Weight / Size | Wood Grab Bucket Technical Specifications The tonnage of the crane t 3t ... |
| Certificate | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

| Technical Specifications | | | |
|---|---|---|---|
| **Category** | Grab Buckets | **Model / SKU** | Wood-Grab-Bucket |
| **Standard** | DIN | **Material** | Wood Grab Bucket Technical Specifications The tonnage of the crane t 3t 5t 10t 15t 16t Model M3-1 M3-2 M5-1 M5-2 M10-1 M10-2 M15-1 M16-1 Volume m2 0.45 0.45 0.75 0.75 1.25 1.25 1.9 2 Grab self weight t 1.15 1.2 1.75 2.2 3.7 3.9 4.75 5.8 Material length m 8 8 8 12 12 12 12 12 Rope diameter mm 13 13 16 16 22 22 28 28 Rope number 1 2 1 4 2 4 4 4 Rate 3 5 3 4 5 5 4 4 Wood Grab Bucket Exhibition |
| **Weight / Size** | Wood Grab Bucket Technical Specifications The tonnage of the crane t 3t 5t 10t 15t 16t Model M3-1 M3-2 M5-1 M5-2 M10-1 M10-2 M15-1 M16-1 Volume m2 0.45 0.45 0.75 0.75 1.25 1.25 1.9 2 Grab self weight t 1.15 1.2 1.75 2.2 3.7 3.9 4.75 5.8 Material length m 8 8 8 12 12 12 12 12 Rope diameter mm 13 13 16 16 22 22 28 28 Rope number 1 2 1 4 2 4 4 4 Rate 3 5 3 4 5 5 4 4 Wood Grab Bucket Exhibition | **Certificate** | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS |
| **Warranty** | 12 Months unless specified otherwise | **Origin** | China |

**CONTENTS**


- Wood Grab Bucket Working Principle
- Wood Grab Bucket Technical Specifications
- Wood Grab Bucket Exhibition


## Wood Grab Bucket Working Principle

Wood Grab Bucket is adjust to wood factory, large wood product factory, paper mill, port etc. industry. It is used to ship unload, outfit barges, log raft, load trucks. Its structure includes single rope, double rope, four rope and electric type, it can also be designed according to clients need.

## Wood Grab Bucket Technical Specifications

| The tonnage of the crane | t | 3t | | 5t | | 10t | | 15t | 16t |
|---|---|---|---|---|---|---|---|---|---|
| Model | M3-1 | M3-2 | M5-1 | M5-2 | M10-1 | M10-2 | M15-1 | M16-1 | |
| Volume | m2 | 0.45 | 0.45 | 0.75 | 0.75 | 1.25 | 1.25 | 1.9 | 2 |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Grab self weight | t | 1.15 | 1.2 | 1.75 | 2.2 | 3.7 | 3.9 | 4.75 | 5.8 |
| Material length | m | 8 | 8 | 8 | 12 | 12 | 12 | 12 | 12 |
| Rope diameter | mm | 13 | 13 | 16 | 16 | 22 | 22 | 28 | 28 |
| Rope number | 1 | 2 | 1 | 4 | 2 | 4 | 4 | 4 | |
| Rate | 3 | 5 | 3 | 4 | 5 | 5 | 4 | 4 | |

## Wood Grab Bucket Exhibition







jinbomarine.com


jinbomarine.com