

OTHER MARINE VALVES & ACCESSORIES

YXH25 Priority Unloading Valve

YXH25 Priority Unloading Valve Principle : Port Connection Flanged connection Control method Pressure control Nominal pressure 200 bar Nominal Flow 160 L/min Hydr...

ISO9001 Supplier

Class Certificate

Export Supply



jinbomarine.com

Key Highlights

Category	Other Marine Valves & Accessories
Standard	ISO
Weight / Size	Port Connection Flanged connection Control method Pressure control N...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Other Marine Valves & Accessories	Model / SKU	YXH25-Priority-Unloading-Valve
Standard	ISO	Weight / Size	Port Connection Flanged connection Control method Pressure control Nominal pressure 200 bar Nominal Flow 160 L/min Hydraulic Oil Temperature Range -20 ~ +100 °C Viscosity Range 10-460 mm2/s Permitted Fluid Contamination Class -/19/16 (ISO 4406:1999) Weight 10 kg Fastening requirement Minimum 3 points Flatness of mounting surface 0.5 mm Size :
Surface	Port Connection Flanged connection Control method Pressure control Nominal pressure 200 bar Nominal Flow 160 L/min Hydraulic Oil Temperature Range -20 ~ +100 °C Viscosity Range 10-460 mm2/s Permitted Fluid Contamination Class -/19/16 (ISO 4406:1999) Weight 10 kg Fastening requirement Minimum 3 points Flatness of mounting surface 0.5 mm Size :	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

China YXH25 Priority Unloading Valve:

YXH25 Priority Unloading Valve

Principle :



