FILTER

YZL-200 Completely Automatic Lubricating Oil Filter

ISO9001 Supplier

Class Certificate

Export Supply

YZL-200 Completely Automatic Lubricating Oil Filter Structure Diagram YZL-200 Completely Automatic Lubricating Oil Filter Technical Parameters: Model Flo...



Key Highlights

Category	Filter
Standard	EN
Weight / Size	Model Flow(referencem³/h) Caliber and jointing size(mm) Overall size(mm)...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS


We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Filter	**Model / SKU**	YZL-200-Completely-Automatic-Lubricating-Oil-Filter
Standard	EN	**Weight / Size**	Model Flow(referencem³/h) Caliber and jointing size(mm) Overall size(mm) Installing size(mm) Weight(kg) DN D D1 L1 W1 N-D1 N-D2 H H1 H2 H3 H4 L2 W2 YZL-200 180 200 340 295 327 8-18 4-18 1800 1388 518 318 225 750 675 YZL-150 77 150 280 240 φ500 8-23 4-23 1500 1270 460 270 205 560 338 370 YZL-100 62 100 212 175 160 430 8-19 4-19 1200 870 190 130 83 550 405 190 YZL-65 45 65 185 145 φ368 4-18 4-18 1200 1014 300 182 43 434 456 200
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	**Warranty**	12 Months unless specified otherwise
Origin	China		

CONTENTS

- YZL-200 Completely Automatic Lubricating Oil Filter Structure Diagram
- YZL-200 Completely Automatic Lubricating Oil Filter Technical Parameters:

YZL-200 Completely Automatic Lubricating Oil Filter Structure Diagram



YZL-200 Completely Automatic Lubricating Oil Filter Technical Parameters:

Model	Flow(reference m³/h)	Caliber and jointing size(mm)						Overall size(mm)				Installing size(mm)			Weight(kg)
		DN	D	D1	L1 W1	N-D1	N-D2	H	H1	H2	H3	H4	L2	W2	
YZL-200	180	200	340	295	327	8-18	4-18	1800	1388	518	318	225	750	675	
YZL-150	77	150	280	240	φ500	8-23	4-23	1500	1270	460	270	205	560	338	370
YZL-100	62	100	212	175	160 430	8-19	4-19	1200	870	190	130	83	550	405	190
YZL-65	45	65	185	145	φ368	4-18	4-18	1200	1014	300	182	43	434	456	200