

MEDIUM PRESSURE AIR COOLED MARINE AIR COMPRESSOR

Air Cooling Piston Type Marine Air Compressor CZF-33

ISO9001 Supplier

Class Certificate

Export Supply

Medium pressure 30 bar. Single-cylinder,Vertical type,Second stage compression,Piston type. Suitable for air bottle equal or smaller than 0.32 m3. Two types: Belt unit, Direct-linked Unit. ...



CZF-33 Direct-linked Unit

Key Highlights

Category	Medium Pressure Air Cooled Marine Air Compressor
Standard	EN
Weight / Size	Specification Model Type Displacement capacity Specified Pressure Rotatin...
Certificate	CCS certificate.

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Medium Pressure Air Cooled Marine Air Compressor	Model / SKU	Air-Cooling-Piston-Type-Marine-Air-Compressor
Standard	EN	Weight / Size	Specification Model Type Displacement capacity Specified Pressure Rotating Speed Motor Power Weight Overall (L*W*H) Transmission mode m3/h Mpa r/min KW Kg mm Belt drive or direct drive CZF-33 Vertical air-cooled two stage compression piston type 14.5 3.0 1200 4 160 970*480*750 18.5 1500 5.5 180 22 1800 5.5 180 Applicable to less than 0.32 cubic meters of air bottle
Certificate	CCS certificate.	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS

- China Air Cooling Piston Type Marine Air Compressor CZF-33:
 - Feature
 - Specification

China Air Cooling Piston Type Marine Air Compressor CZF-33:

Medium pressure 30 bar.

Single-cylinder, Vertical type, Second stage compression, Piston type.

Suitable for air bottle equal or smaller than 0.32 m3.

Two types: Belt unit, Direct-linked Unit.



Feature

High Efficiency, energy saving, low noise.



Specification

Model	Type	Displacement capacity	Specified Pressure	Rotating Speed	Motor Power	Weight	Overall (L*W*H)	Transmission mode
		m3/h	Mpa	r/min	KW	Kg	mm	Belt drive or direct drive
CZF-33	Vertical air-cooled two stage compression piston type	14.5	3.0	1200	4	160	970*480*750	
		18.5		1500	5.5	180		
		22		1800	5.5	180		
Applicable to less than 0.32 cubic meters of air bottle								