

MARINE HOIST

Air Jack

Air Jack Model number FG50T-2 FG80T-2(National standard type) FG80T (Heavy type) FG80T-2 (Unfold typ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Hoist
Standard	EN
Weight / Size	Air Jack Model number FG50T-2 FG80T-2(National standard type) FG80T (He...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Hoist	Model / SKU	Air-Jack
Standard	EN	Weight / Size	Air Jack Model number FG50T-2 FG80T-2(National standard type) FG80T (Heavy type) FG80T-2 (Unfold type) FG80T-2(Fold type) FG80T-2 (Lowtype) FG80T- 2(Extension type) FG100T-2 (Heavy type) FG100T-2(Heavy type) FG100T-2(Heavy type) FG120T FG150T Lifting capacity 50T/25T 80T/40T 80T/40T 80T/40T 80T/40T 80T/40T 80T/40T 100T/50T 100T/50T 100T/50T 120T/60T 150T/75T Air pressure 0.8-1.2 mpa 0.8-1.2 mpa 0.8-1.2 mpa 0.8-1.2 mpa 0.8-1.2 mpa 0.8-1.2 mpa 0.8-1.2 mpa 0.8- 1.2 mpa 0.8-1.2 mpa 0.8-1.2 mpa 0.8-1.2 mpa 0.8-1.2 mpa Min height 165mm 195mm 225mm 195mm 195mm 165mm 225mm 205mm 205mm 205mm 205mm 205mm Lifting height 320mm 320mm 460mm 370mm 370mm 285mm 460mm 400mm 400mm 400mm 400mm 400mm Stroke 155mm 175mm 120mm 235mm 195mm 195mm 195mm Extension height 60mm/30mm 60mm/30mm 60mm/30mm 60mm/30mm 60mm/ 30mm 60mm /30mm 60mm / 30mm 60mm / 30mm 60mm/30mm 60mm/30mm N.W 40kg 40kg 75kg 60kg 60kg 50kg 68kg 70kg 80kg 80kg 80kg 100kg
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

China Air Jack:

Air Jack

Model number	FG50 T-2	FG80T-2(National standard type)	FG80 T (Heavy type)	FG80T-2 (Unfold type)	FG80T -2(Fold type)	FG80T -2 (Low type)	FG80T-2(Extension type)	FG100 T-2 (Heavy type)	FG100 T-2(Heavy type)	FG100 T-2(Heavy type)	FG120 T	FG150T
Lifting capacity	50T/25T	80T/40T	80T/40T	80T/40T	80T/40T	80T/40T	80T/40T	100T/50T	100T/50T	100T/50T	120T/60T	150T/75T
Air pressure	0.8-1.2 mpa	0.8-1.2 mpa	0.8-1.2 mpa	0.8-1.2 mpa	0.8-1.2 mpa	0.8-1.2 mpa	0.8-1.2 mpa	0.8-1.2 mpa	0.8-1.2 mpa	0.8-1.2 mpa	0.8-1.2 mpa	0.8-1.2 mpa
Min height	165mm	195mm	225mm	195mm	195mm	165mm	225mm	205mm	205mm	205mm	205mm	205mm
Lifting height	320mm	320mm	460mm	370mm	370mm	285mm	460mm	400mm	400mm	400mm	400mm	400mm
Stroke	155mm	175mm	120mm	235mm	195mm	195mm	195mm					
Extension height	60mm/30mm	60mm/30mm	60mm/30mm	60mm/30mm	60mm/30mm	60mm/30mm	60mm / 30mm	60mm / 30mm	60mm/30mm	60mm/30mm		
N.W	40kg	40kg	75kg	60kg	60kg	50kg	68kg	70kg	80kg	80kg	80kg	100kg