

MARINE WINDOW

Aluminum Double-Layers Hollow Glass Soundproof Window

ISO9001 Supplier

Class Certificate

Export Supply

Standard: CB/T3917-1999 It is used on the cabin which needs soundproof, heat insulation and thermal insultion. Main Material: Frame: Aluminum Alloy Glass: G-safety glass, P-plate glass, J-C...



Key Highlights

Category	Marine Window
Standard	DIN
Material	Aluminum
Weight / Size	G-safety glass, P-plate glass, J-Composite glass, C-Dark Brown Safety Gl...
Certificate	CCS, BV, ABS, GL, LR, DNV, NK,RINA, KR,IRS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.


Technical Specifications

Category	Marine Window	Model / SKU	Aluminum-Double-Layers-Hollow-Glass-Soundproof-Window
Standard	DIN	Material	Aluminum
Weight / Size	G-safety glass, P-plate glass, J-Composite glass, C-Dark Brown Safety Glass Main Size List(mm):	Certificate	CCS, BV, ABS, GL, LR, DNV, NK,RINA, KR,IRS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- China Aluminum Double-Layers Hollow Glass Soundproof Window:
- Main Size List(mm):
- Main Material:

China Aluminum Double-Layers Hollow Glass Soundproof Window:



Standard: CB/T3917-1999

It is used on the cabin which needs soundproof, heat insulation and thermal insultion.

Main Material:

Frame: Aluminum Alloy

Glass: G-safety glass, P-plate glass, J-Composite glass, C-Dark Brown Safety Glass

Main Size List(mm):

Nominal Size	Outside Size	Opening Size	Glass Thickness	Hollow Distance	Glass Thickness	Soundprooff	Weight
wxh	w1xh1	w2xh2	b1	A	b2	TL (dB)	kgs
300x425	420x545	352x477	6	6	6	29	10
300x425	420x545	352x477	6	9	6	30.5	10
355x500	475x620	407x552	6	6	6	29	15.6
355x500	475x620	407x552	6	9	6	31.5	16.2
400x560	520x680	452x612	6	6	6	28.6	18.2
400x560	520x680	452x612	6	9	6	31.5	18.6
450x360	570x750	520x682	6	9	6	31.5	21.2
500x710	620x830	552x762	6	9	6	31	25.3
900x630	1020x750	952x682	6	12	6	30.5	29.4
900x630	1020x750	952x682	8	16	6	31.8	33.2
900x630	1020x750	952x682	8	24	6	35	34
1000x800	1120x920	1052x852	8	16	6	31	45.9
1000x800	1120x920	1052x852	8	24	6	35	46.7
1200x800	1320x920	1252x852	8	24	6	34	54.4
1400x800	1520x920	1452x852	8	24	6	33	59.2
1600x1000	1720x1120	1652x1052	8	24	6	32	81.3

1800x1200	1920x1320	1852x1252	8	24	6	30.52	104.5
-----------	-----------	-----------	---	----	---	-------	-------

*The size in the above list is just for reference. The actual size is decided by the customer according to the vessel.