

STEEL CARGO BLOCK

American Pattern Cargo Blocks C

Drawing : Picture : Specification : stock no. will(t) wire up tp (mm) dimensions(mm) weight(kg) ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Steel Cargo Block
Standard	EN
Weight / Size	will(t) wire up tp (mm) dimensions(mm) weight(kg) D1 D2 ΦJ K L R Y ΦZ TA...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.


Technical Specifications

Category	Steel Cargo Block	Model / SKU	American-Pattern-Cargo-Blocks-C
Standard	EN	Weight / Size	will(t) wire up tp (mm) dimensions(mm) weight(kg) D1 D2 ΦJ K L R Y ΦZ TA TB TL 17.010.08.21 8 16-20 260 225 28 50 92 10 46 30 285 170 615 44 17.012.10.21 10 20-22 300 265 35 50 97 11 46 30 330 200 697 65 17.016.20.21 20 24-26 405 357 48 75 150 13 70 45 440 280 986 152 Product Advantage:
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS

- Drawing :
- Specification :
- Packing and Delivery :
- Picture :
- Product Advantage:
- How to Order?

Drawing :



Picture :



Specification :

stock no.	will(t)	wire up tp (mm)	dimensions(mm)											weight(kg)
			D1	D2	ϕJ	K	L	R	Y	ϕZ	TA	TB	TL	
17.010.08. 21	8	16-20	260	225	28	50	92	10	46	30	285	170	615	44
17.012.10. 21	10	20-22	300	265	35	50	97	11	46	30	330	200	697	65
17.016.20. 21	20	24-26	405	357	48	75	150	13	70	45	440	280	986	152

Product Advantage:

- 1.Satisfactory Quality
- 2.Competitive Price

- 3.Prompt Delivery
- 4.7x24 hours service

Packing and Delivery :

- 1. Standard Export Packing or Seaworthy Packing, if you have special requirement, please specify when inquiry.
- 2. Fast Delivery, delivery time can negotiate when order.

How to Order?

- 1. Please inform us the model, type or size you need.
- 2. Please inform us the quantity to make the best price for you.
- 3. Shipment Model: Air or Sea shipment.
- 4. Special requirement if any.