

MARINE TRANSFORMERS

BH-0.66TH II Special Size Marine Current Transformer

Transformer Definition Transformer, instrument transformer), also known as instrument transformer, current transformer and voltage transformer is a general designation to high voltage to low voltage, large current ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Transformers
Standard	GB
Weight / Size	BH-0.66TH II Special Size Marine Current Transformer BH-0.66TH II Type ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Marine Transformers	Model / SKU	BH-0-66TH-II-Special-Size-Marine-Current-Transformer
Standard	GB	Weight / Size	BH-0.66TH II Special Size Marine Current Transformer BH-0.66TH II Type Marine Current Transformer Main Purposes And Parameters 1.Application:
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS

- Transformer Definition
 - BH-0.66TH II Special Size Marine Current Transformer Parameters
- BH-0.66TH II Special Size Marine Current Transformer
 - BH-0.66TH II Special Size Marine Current Transformer Drawing

Transformer Definition

Transformer, instrument transformer), also known as instrument transformer, current transformer and voltage transformer is a general designation to high voltage to low voltage, large current to small current, its function is used to measure or to protect system is mainly to high voltage or high current in proportion to transform into standard low voltage (100 v) or small current (5 a or 1 a, shall mean rating), in order to achieve the standardization of measuring instrument to protect equipment and automatic control equipment, miniaturization transformer can also be used to separate the high voltage system at the same time, in order to ensure personal and equipment safety.

BH-0.66TH II Special Size Marine Current Transformer

BH-0.66TH II Type Marine Current Transformer Main Purposes And Parameters

- 1.Application: mainly used for electric power, electrical line voltage measurement, overload protection, intercept signal.
- 2.Working temperature: -40°C~+40°C
- 3.Rated voltage: 0..66KV
- 4.Rated frequency: 50/60 HZ
- 5.Rated primary voltage: 5~10000kv
6. Rated secondary voltage: 1~5A
- 7.Rated secondary load: 2.5~50VA
- 8.Accurate level: 5P, 10P
- 9.Standard: GB20840, IEC61869

BH-0.66TH II Special Size Marine Current Transformer Parameters

Auxiliary Model	Overall Size			Inner Hole Size		Installation Size
	W	H	D	a	b	
60X52 II	102	130	47	62	52	
80X52 II	118	133	44.2	82	52	60
100X52 II	141	133.5	49	102	55	80
100X85 II	149	145	48	102	85	
120X70 II	159	177.5	60.4	122	72	
125 II	177.5	157.5	60	128	63	
150X130 II	195.5	230	49	152	133	

BH-0.66TH II Special Size Marine Current Transformer Drawing

