

CHAIN SLING

Biding S ling With Double L imbs

Model Diamerter of the chain (mm) WLL (t) Master link A×B×d (mm)
 Weight/m (kg/m) Chain weight (kg) ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Chain Sling
Standard	DIN
Material	High Quality Alloy Steel
Weight / Size	Model Diamerter of the chain (mm) WLL (t) Master link A×B×d (mm) Weight/...
Certificate	CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Chain Sling	Model / SKU	Biding-ling-ith-ouble-imbs
Standard	DIN	Material	High Quality Alloy Steel
Weight / Size	Model Diamerter of the chain (mm) WLL (t) Master link A×B×d (mm) Weight/m (kg/m) Chain weight (kg) YKLS1-6 6 0.8 65×130×12 1.88 0.79 YKLS1-8 8 1.2 65×130×16 3.08 1.38 YKLS1-10 10 2 65×130×16 3.88 2.2 YKLS1-12 12 2.8 80×150×20 6.72 3.1 YKLS1-14 14 4 90×160×24 10.09 4.13 YKLS1-16 16 4.8 90×160×24 11.37 5.63 YKLS1-18 18 6.4 100×190×28 15.3 6.85 YKLS1-20 20 8 100×190×28 16.86 8.6 YKLS1-22 22 9.6 110×220×32 20.63 10.2 YKLS1-24 24 11.2 120×230×34 37.55 12.78 YKLS1-26 26 13.6 135×250×38 40.72 14.87 YKLS1-30 30 17.6 140×270×42 66.85 19.6 YKLS1-34 34 28.8 180×330×52 75.93 22.7	Certificate	CCS
Warranty	12 Months unless specified otherwise	Origin	China

China Biding Sling With Double Limbs:



Biding Sling With Double Limbs

Model	Diamerter of the chain (mm)	WLL (t)	Master link A×B×d (mm)	Weight/m (kg/m)	Chain weight (kg)
YKLS1-6	6	0.8	65×130×12	1.88	0.79
YKLS1-8	8	1.2	65×130×16	3.08	1.38
YKLS1-10	10	2	65×130×16	3.88	2.2
YKLS1-12	12	2.8	80×150×20	6.72	3.1
YKLS1-14	14	4	90×160×24	10.09	4.13
YKLS1-16	16	4.8	90×160×24	11.37	5.63
YKLS1-18	18	6.4	100×190×28	15.3	6.85
YKLS1-20	20	8	100×190×28	16.86	8.6
YKLS1-22	22	9.6	110×220×32	20.63	10.2

YKLS1-24	24	11.2	120×230×34	37.55	12.78
YKLS1-26	26	13.6	135×250×38	40.72	14.87
YKLS1-30	30	17.6	140×270×42	66.85	19.6
YKLS1-34	34	28.8	180×330×52	75.93	22.7