

ANCHOR CHAIN

Buoy Anchor Chain

Buoy Anchor Chain is produced according to ISO1704-2008, size range from 11mm to 38mm, widely supply to oversea markets. Non Standard Chain Link also can be supplied as per client request. V-Cable length acc...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Anchor Chain
Standard	ISO
Material	Steel
Weight / Size	Buoy Anchor Chain is produced according to ISO1704-2008, size range from...
Certificate	CCS,ABS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Anchor Chain	Model / SKU	Buoy-Anchor-Chain
Standard	ISO	Material	Steel
Weight / Size	Buoy Anchor Chain is produced according to ISO1704-2008, size range from 11mm to 38mm, widely supply to oversea markets.	Certificate	CCS,ABS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- China Buoy Anchor Chain:
- Buoy Anchor Chain Sketch
- Mooring Buoy Anchor Specification

China Buoy Anchor Chain:

Buoy Anchor Chain is produced according to ISO1704-2008, size range from 11mm to 38mm, widely supply to oversea markets. Non Standard Chain Link also can be supplied as per client request.



V-Cable length accords to marine buoy

Short cable length: 4.5m

Half cable length: 13.7m

Long cable length: 27.5m

Buoy Anchor Chain Sketch



Mooring Buoy Anchor Specification

Chain Diameter(mm)							V-Cable		Short Cable		Half Cable		Full Cable		Buoy Spec
S	E	E	S	A	J	Y	Lengt	Weight	Lengt	Weight	Lengt	Weight	Lengt	Weight	
L	L		W	S	S		h(M)	(kg)	h(M)	(kg)	h(M)	(kg)	h(M)	(kg)	
11	13	13	13	15	14	17	2.27	3.89	4.5	6.04	13.7	17.97	27.5	35.91	HF0.6-D1
13	14	16	15	18	16	18	2.72	7.59	4.5	11.63	13.7	34.04	27.5	67.63	HF0.8-D1
14	16	18	17	19	19	22	2.76	10.37	4.5	16.24	13.7	47.64	27.5	94.37	HF1.08-D1
18	19	21	21	25	23	25	2.77	18.44	4.5	27.78	13.7	81.64	27.5	162.37	HF1.2-D1

22	24	26	26	31	29	34	2.79	31.73	4.5	47.03	13.7	136.75	27.5	269.71	HF1.5-D1
28	30	34	34	39	36	40	3.94	65.42	4.5	79.39	13.7	222.58	27.5	442.36	HF1.8-D1
34	36	40	41	48	44	50	5.26	152.65	4.5	114.15	13.7	328.86	27.5	650.91	HF2.4-D1
38	40	46	46	53	49	56	5.24	197.44	4.5	136.26	13.7	397.66	27.5	774.37	HF2.4-D1/ 3.0-3.6