

CENTRIFUGAL PUMP


CCBL Series Marine Vertical Centrifugal Pump

ISO9001 Supplier

Class Certificate

Export Supply

 CCBL series marine series-parallel connection vertical centrifugal pump of the performance indicators to meet the CCS"with the construction of steel ships entry-level norms",in line with MSC,98(73) resolutions, FSS...



Key Highlights

Category	Centrifugal Pump
Standard	CB
Material	CCBL series marine series-parallel connection vertical centrifugal pump...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.	

Technical Specifications

Category	Centrifugal Pump	Model / SKU	CCBL-Series-Marine-Vertical-Centrifugal-Pump
Standard	CB	Material	CCBL series marine series-parallel connection vertical centrifugal pump of the performance indicators to meet the CCS"with the construction of steel ships entry-level norms",in line with MSC,98(73) resolutions, FSSII-Z(international fire safety system rules) requirements.
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

China CCBL Series Marine Vertical Centrifugal Pump:

CCBL series marine series-parallel connection vertical centrifugal pump of the performance indicators to meet the CCS"with the construction of steel ships entry-level norms",in line with MSC,98(73) resolutions, FSSII-Z(international fire safety system rules) requirements.

CCBL series marine vertical centrifugal pump is a kind of series and parallel both to meet the large flow of work and also to accommodate the work of multi-purpose high-lift pumps for cooling the ship,ballast and other low-voltage systems also meet the fire water and washing,deck high-pressure water system which can transport 70°C below the sea water or fresh water.

CCBL series pump diameter range of 150mm-350mm, flow rate range of 100m³/h-2000m³/h,head range 20m-100m.

Main Technical Data				
Model	Flow rate Q m³/h	Lift H (m)	Rev speed r/min	Motor power (KW)
CCBL-150	180/55	24/78	1450	22
CCBL-150A	175/52	22/74	1450	18.5
CCBL-150B	170/48	20/70	1450	15
CCBL-150C	165/45	18/66	1450	15
CCBL-200	320/100	24/78	1450	37
CCBL-200A	310/100	22/74	1450	30
CCBL-200B	310/95	20/70	1450	30
CCBL-200C	300/90	18/66	1450	30
CCBL-250	290/85	24/78	1450	55
CCBL-250A	480/150	22/74	1450	55
CCBL-250B	464/145	20/70	1450	45
CCBL-250C	448/140	18/66	1450	45
CCBL-300	432/135	24/78	1450	75
CCBL-300A	780/240	22/74	1450	75
CCBL-300B	755/232	20/70	1450	75
CCBL-300C	730/224	18/66	1450	55
CCBL-350	705/216	24/78	1450	132
CCBL-350A	1200/370	22/74	1450	110
CCBL-350B	1160/358	20/70	1450	90
CCBL-350C	1120/346	18/66	1450	90
Alao have bigger pumps, pls contact us for more information.				

