

MARINE AIR CONDITIONER

CLN-70K Marine Open Type Compressed Condensing Unit

Description: CLN-70K Marine Open Type Compressed Condensing Unit Marine open type compressed condensing unit are to provide refrigerant liquid for air conditioning system direct and device. The unit has t...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Air Conditioner
Standard	EN
Weight / Size	Item CLN-70K CLN-105K CLN-175K CLN-244K CLN-348K Cooling capacity KW 70 ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Air Conditioner	Model / SKU	CLN-70K-Marine-Open-Type-Compressed-Condensing-Unit
Standard	EN	Weight / Size	Item CLN-70K CLN-105K CLN-175K CLN-244K CLN-348K Cooling capacity KW 70 105 175 244 348 Cooling medium R22(R134a, R404A, R407C) Power supply main circuit AC380V 3P 50HZ/AC 440V 3P 60HZ control circuit AC220V 1P 50HZ/AC 220V 1P 60HZ Protection device High pressure, low pressure,oil pressure, water stop, lack phase, overload and safety valve Copressor Type Open type single-stage piston compressor Energy regulation % 0,33,66,100 or 0,25,50,75,100 Drive V-strap Motor output power 19 30 45 75 90 stage 4 type heretic air cooled basic mounted insullation and airproof F, IP56 Start methed Y-△direct Condensor type Horizontal sheel&tube water flow m3/h 22 35 48 65 100 water pressure loss kPa 30 45 55 60 70 weight kg 600 900 1300 1750 2000 Dimension:
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS	Description: Dimension:	Technical Data:
----------	--	---

Description:


CLN-70K Marine Open Type Compressed Condensing Unit Marine open type compressed condensing unit are to provide refrigerant liquid for air conditioning system direct and device. The unit has the features of new-design, easy –operation, stable- working, safety and convenient-maintaining etc. They are widely used for all kinds of passenger ship, cargo ship, oil platform etc.

Technical Data:

Item	CLN-70K	CLN-105K	CLN-175K	CLN-244K	CLN-348K
------	---------	----------	----------	----------	----------

Cooling capacity			KW	70	105	175	244	348
Cooling medium				R22(R134a, R404A, R407C)				
Power supply	main circuit			AC380V 3P 50HZ/AC 440V 3P 60HZ				
	control circuit			AC220V 1P 50HZ/AC 220V 1P 60HZ				
Protection device	High pressure, low pressure,oil pressure, water stop, lack phase, overload and safety valve							
Copressor	Type			Open type single-stage piston compressor				
	Energy regulation	%	0,33,66,100 or 0,25,50,75,100					
	Drive			V-strap				
Motor	output power			19	30	45	75	90
	stage			4				
	type			heretic air cooled basic mounted				
	insullation and airproof			F, IP56				
	Start method			Y-△direct				
Condensor	type		Horizontal sheel&tube					
	water flow	m3/h	22	35	48	65	100	
	water pressure loss	kPa	30	45	55	60	70	
weight			kg	600	900	1300	1750	2000

Dimension:



Model	CLN-70K	CLN-105K	CLN-175K	CLN-244K	CLN-348K
L	1540	2150	2150	2150	2740
W	860	860	990	1075	1130
H	1290	1290	2070	1855	1750