

Jinbo Marine

Marine & Offshore Equipment Datasheet


PRODUCT DATASHEET

CENTRIFUGAL PUMP

CLV Marine Vertical Centrifugal Pump

Description: Technical data: Model Capacity (m3/h) Head (m) Speed (r/min) NPSH (m) S...

- ISO9001 Supplier
- Class Certificate
- Export Supply



Key Highlights


Category	Centrifugal Pump
Standard	EN
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Centrifugal Pump	Model / SKU	CLV-Marine-Vertical-Centrifugal-Pump
Standard	EN	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	<ul style="list-style-type: none"> ■ Description: 	<ul style="list-style-type: none"> ■ Technical data:
-----------------	--	---

Description:



Technical data:

Model	Capacity (m ³ /h)	Head (m)	Speed (r/min)	NPSH (m)	Shaft Power kw	Efficiency %	Power (kw)
CLV65-200A	27	14.5	1450	2.5	1.8	59.2	2.2
CLV65-280A	30	21	1450	2.5	3.1	55.3	4
CLV65-300A	30	28	1450	2.5	4.4	52	5.5
CLV65-350A	25	41	1450	2.5	6.1	45.8	7.5
CLV80-200A	48	14.5	1450	2.5	2.8	67.7	4
CLV80-220B1	45	48	2900	4.0	9.8	60	11
CLV80-220A	45	62	2900	4.0	12	63.3	15
CLV80-280A	54	21.5	1450	3.0	4.5	70.3	5.5
CLV80-300A	46	28	1450	2.8	5.8	60.5	7.5
CLV80-350B	40	35	1450	2.5	6.9	55.3	11
CLV80-350A	54	41	1450	3.0	10.5	57.4	15
CLV80-350B2	42	41	1450	2.5	8.4	55.8	11
CLV100-200A	83	14.5	1450	3.2	4.6	71.3	5.5
CLV100-220B	87	55	2900	4.5	18.5	70.4	22
CLV100-220A	95	68.5	2900	4.5	24.2	73.2	30
CLV100-280A	83	21	1450	3.0	6.4	74.2	7.5
CLV100-300A	83	28	1450	2.8	9.1	69.5	11
CLV100-350A	83	41	1450	3.2	14.2	65.3	18.5
CLV125-200A	116	14	1450	3.5	5.9	75	7.5

CLV125-220B	128	55	2900	5.0	26.7	71.8	37
CLV125-220A	149	68.5	2900	5.5	36.9	75.3	45
CLV125-270A	140	86	2900	5.0	44.7	73.4	55
CLV125-280A	125	21	1450	3.5	9.6	74.5	11
CLV125-350B	116	34	1450	3.5	15.9	67.6	22
CLV125-350A	125	41	1450	3.5	19.8	70.5	30
CLV150-350B2	190	35	1450	3.5	25.6	70.7	30
CLV200-200A	332	13.7	1450	4.0	15.9	77.9	18.5
CLV200-280B	290	17	1450	4.5	17.3	77.6	22
CLV200-280A	330	20.5	1450	4.5	23.4	78.7	30
CLV200-280B2	250	20.5	1450	4.0	17.9	78.0	22
CLV200-300A	325	27.5	1450	4.5	30.3	80.3	37