

MARINE TRANSFORMERS

CSD-25 25KVA Marine Transformer

CSD-25 25KVA Marine Transformer MAIN MARINETRANSFORMER 25Kva, 415V/230V, 3Ph, 50Hz, Delta-Delta, Marine Transformer, Dry,Air Natural cooling. Marine Transformer CSD Technical Specifications ...

- ISO9001 Supplier
- Class Certificate
- Export Supply



Key Highlights

Category	Marine Transformers
Standard	EN
Weight / Size	Marine Transformer CSD Technical Specifications Spec Capacity (kVA) Prim...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Transformers	Model / SKU	CSD-25-25KVA-Marine-Transformer
Standard	EN	Weight / Size	Marine Transformer CSD Technical Specifications Spec Capacity (kVA) Primary rated voltage(V) Voltage combination Link set label Overall dimensions Installation dimensions 50Hz 60Hz 50Hz 60Hz A B C C1 C2 CSD-5 5 400 450 400 230 115 400 230 115 Yy0 Yy11 Dd0 550 330 580 260 190 CSD-10 10 620 510 630 330 190 CSD-16 16 700 450 680 330 310 CSD-20 20 700 450 680 380 315 CSD-25 25 750 450 690 380 315 CSD-30 30 750 450 690 380 315 CSD-40 40 800 450 715 565 315 CSD-50 50 850 500 780 540 390 CSD-63 63 900 500 870 540 390 CSD-80 80 950 550 920 550 435 CSD-100 100 1050 600 970 550 490
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS	■ China CSD-25 25KVA Marine Transformer:	■ Marine Transformer CSD Technical Specifications
----------	--	---

China CSD-25 25KVA Marine Transformer:

CSD-25 25KVA Marine Transformer

MAIN MARINETRANSFORMER 25Kva, 415V/230V, 3Ph, 50Hz, Delta-Delta, Marine Transformer, Dry,Air Natural cooling.



Marine Transformer CSD Technical Specifications

Spec	Capacity (kVA)	Primary rated voltage(V)		Voltage combination		Link set label	Overall dimensions			Installation dimensions	
		50Hz	60Hz	50Hz	60Hz		A	B	C	C1	C2
CSD-5	5	400	450	400 230 115	400 230 115	Yy0 Yy11 Dd0	550	33 0	58 0	260	190
CSD-10	10						620	51 0	63 0	330	190
CSD-16	16						700	45 0	68 0	330	310
CSD-20	20						700	45 0	68 0	380	315
CSD-25	25						750	45 0	69 0	380	315
CSD-30	30						750	45 0	69 0	380	315
CSD-40	40						800	45 0	71 5	565	315
CSD-50	50						850	50 0	78 0	540	390
CSD-63	63						900	50 0	87 0	540	390
CSD-80	80						950	55 0	92 0	550	435
CSD-100	100						1050	60 0	97 0	550	490

