SHACKLE


D Type Alloy Shackle CB3061

D Type Alloy Shackle CB3061 Specification SWL(Ton) D d e W B1 d1 S...

ISO9001 Supplier

Class Certificate

Export Supply



jinbomarine.com

Key Highlights

Category	Shackle
Standard	CB
Weight / Size	D Type Alloy Shackle CB3061 Specification SWL(Ton) D d e W B1 d1 S s1 We...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Shackle	**Model / SKU**	D-Type-Alloy-Shackle-CB3061
Standard	CB	**Weight / Size**	D Type Alloy Shackle CB3061 Specification SWL(Ton) D d e W B1 d1 S s1 Weight 5 26 23 52 44 144 27 97 159 1.9 6.3 29 26 58 50 156 30 109 178.5 2.5 8 33 29 66 56 178 34 123 201.5 4 10 37 33 74 63 199 38 138 226.5 5 12.5 42 36 84 70 222 44 154 253 6.8 16 47 41 94 79 241 49 174 285.5 10.8 20 52 46 104 89 270 54 195 319 13.4 25 59 51 118 99 298 61 218 357.5 21.5 32 66 58 132 112 334 68 247 404 30.9 40 74 65 148 125 371 76 275 451 42.5 50 83 72 166 140 412 85 308 504.5 59.6 63 93 81 186 157 458 95 36 566.5 82.8 80 105 91 210 177 511 108 390 638.5 172.1 100 118 102 236 200 567 121 436 715 120.4 125 132 114 264 221 626 135 490 802 233.3
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	**Warranty**	12 Months unless specified otherwise
Origin	China		

D Type Alloy Shackle CB3061 Specification

SWL(Ton)	D	d	e	W	B1	d1	S	s1	Weight
5	26	23	52	44	144	27	97	159	1.9
6.3	29	26	58	50	156	30	109	178.5	2.5
8	33	29	66	56	178	34	123	201.5	4
10	37	33	74	63	199	38	138	226.5	5
12.5	42	36	84	70	222	44	154	253	6.8
16	47	41	94	79	241	49	174	285.5	10.8
20	52	46	104	89	270	54	195	319	13.4
25	59	51	118	99	298	61	218	357.5	21.5
32	66	58	132	112	334	68	247	404	30.9
40	74	65	148	125	371	76	275	451	42.5
50	83	72	166	140	412	85	308	504.5	59.6

63	93	81	186	157	458	95	36	566.5	82.8
80	105	91	210	177	511	108	390	638.5	172.1
100	118	102	236	200	567	121	436	715	120.4
125	132	114	264	221	626	135	490	802	233.3