

OTHER MARINE VALVES & ACCESSORIES

Deck Scupper Type SB/SBS/SC/SCS
CB/T3885-2004

ISO9001 Supplier

Class Certificate

Export Supply

Deck Scupper Standard: CB/T 3885-2004 It should pass the sealing test which lasts for 5 minutes under the 0.12Mpa water pressure. Type: Type Descriptions ...



Key Highlights

Category	Other Marine Valves & Accessories
Standard	GB
Material	Carbon Steel with Galvanization
Weight / Size	Type Descriptions Nominal Size(mm) YA Round Deck Scupper 32~80 YB Round ...
Certificate	Mill certificate


We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Other Marine Valves & Accessories	Model / SKU	Deck-Scupper-Type-SB-SBS-SC-SCS-CB-T3885-2004
Standard	GB	Material	Carbon Steel with Galvanization
Weight / Size	Type Descriptions Nominal Size(mm) YA Round Deck Scupper 32~80 YB Round Deck Scupper with flange, flange size as per GB/T10751-1989 32~40 YBS Round Deck Scupper with flange, flange size as per GB/T2506-1989 32~65 YC Flat Round Deck Scupper 32~100 YD Short-tube Round Deck Scupper 40~65 TA Oval Deck Scupper 80~150 TB Oval Deck Scupper with flange, flange size as per CB/T46-1999 TBS Oval Deck Scupper with flange, flange size as per GB/T2506-1989 SA Water Sealed Deck Scupper with Flange, flange siz as per CB/T46-1999 & GB/T10751-1989 40~100 SAS Water Sealed Deck Scupper with Flange, flange siz as per GB/T2506-1989 50~100 SB Bolted Water Sealed Deck Scupper with Flange, flange siz as per CB/T46-1999 & GB/T10751-1989 40~100 SBS Bolted Water Sealed Deck Scupper with Falnge, flange siz as per GB/T2506-1989 50~100 SC Welded Water Sealed Deck Scupper with Falnge, flange siz as per CB/T46-1999 & GB/T10751-1989 40~100 SCS Welded Water Sealed Deck Scupper with Falnge, flange siz as per GB/T2506-1989 50~100 Main Parts & Size:	Certificate	Mill certificate
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- | | |
|--|-------------------------------|
| ■ China Deck Scupper Type SB/SBS/SC/SCS CB/T3885-2004: | ■ Type: |
| ■ Main Parts & Size: | ■ Main Size List for SB (mm): |
| ■ Main Size List for SBS (mm): | ■ Main Size List for SC (mm): |
| ■ Main Size List for SCS (mm): | |

China Deck Scupper Type SB/SBS/SC/SCS CB/T3885-2004:



Deck Scupper Standard: CB/T 3885-2004

It should pass the sealing test which lasts for 5 minutes under the 0.12Mpa water pressure.

Type:

Type	Descriptions	Nominal Size(mm)
YA	Round Deck Scupper	32~80
YB	Round Deck Scupper with flange, flange size as per GB/T10751-1989	32~40
YBS	Round Deck Scupper with flange, flange size as per GB/T2506-1989	32~65
YC	Flat Round Deck Scupper	32~100
YD	Short-tube Round Deck Scupper	40~65
TA	Oval Deck Scupper	80~150
TB	Oval Deck Scupper with flange, flange size as per CB/T46-1999	
TBS	Oval Deck Scupper with flange, flange size as per GB/T2506-1989	
SA	Water Sealed Deck Scupper with Flange, flange siz as per CB/T46-1999 & GB/T10751-1989	40~100
SAS	Water Sealed Deck Scupper with Flange, flange siz as per GB/T2506-1989	50~100
SB	Bolted Water Sealed Deck Scupper with Flange, flange siz as per CB/T46-1999 & GB/T10751-1989	40~100
SBS	Bolted Water Sealed Deck Scupper with Falnge, flange siz as per GB/T2506-1989	50~100
SC	Welded Water Sealed Deck Scupper with Falnge, flange siz as per CB/T46-1999 & GB/T10751-1989	40~100

SCS	Welded Water Sealed Deck Scupper with Falnge, flange siz as per GB/T2506-1989	50~100
-----	---	--------

Main Parts & Size:

Body---Carbon Steel with Galv

Grill---Carbon Steel with Galv

Water Seal Cover---Carbon Steel with Galv

Stem---Aluminum Bronze

Screw---Brass

Main Size List for SB (mm):

D N	D w	D0	D2	D3	D4	H	H1	δ≤	t1	t2	Flange Size						b	d 0	Weight(k gs)			
											As per GB/T10751- 1989			As per CB/T46- 1999								
											A	B	D1	D	D1	n						
40	48	13 7	13 3	17 0	22 0	20 0	13 5	10 0	5	3	132	95	100	—	—	—	1 6	1 4	6.1			
50	60					21 0	14 6		6	4	—	—	—	135	103	6	1 4	1 5	9.39			
65	76					16 3	15 9		19 5	22 5				22 0	15 6	6. 5			4. 5	155	123	12.94
80	89					18 4	18 0		21 5	24 0				26 0	19 7	15 0			7	170	138	17.11
10 0	11 4					20 7	20 3		23 0	26 0				26 5	20 8	8			5	190	158	8

Main Size List for SBS (mm):

DN	Dw	D0	D2	H	H1	δ≤	t1	t2	Flange Size					weight(kgs)
									As per GB/T 2506-1989					
									D	D1	b	d0	n	
50	60	118	114	120	75	60	6	4	140	110	16	14	4	5.8
65	76	144	140		80		6.5	4.5	160	130				7.4
80	89	172	168	170	15	110	7	5	190	150	18			9.3
100	114	207	203		125		8		210	170				12.5

Main Size List for SC (mm):

DN	Dw	D0	D2	H	H1	δ≤	t1	t2	Flange Size						b	d0	Weight(kgs)
									As per GB/T10751-1989			As per CB/T46-1999					
									A	B	D1	D	D1	n			
40	48	137	133	200	135	100	5	3	132	95	100	—	—	—	16	14	5.17
50	60			210	146		6	4	—	—	—	135	103	6	14	15	5.93
65	76	163	159	220	156		6.5	4.5				155	123				8.27
80	89	184	180	260	197	7						170	138				12.69
100	114	207	203	265	208	150	8	5				190	158	8			14.99

Main Size List for SCS (mm):

DN	Dw	D0	D2	Normal			Extended			t1	t2	Flange Size					weight(kgs)	
												As per GB/T 2506-1989						
				H	H1	δ≤	H	H1	δ≤			D	D1	b	d0	n	Normal	Extended
50	60	137	133	210	146	100	260	196	150	6	4	140	110	16	14	4	6.9	7.2
65	76	163	159	220	156		270	206		6.5	4.5	160	130				9.8	10.2
80	89	184	180	260	197		310	247	200	7	190	150	18		14		14.5	
100	114	207	203	265	208		315	258		8	5	210			170		16.6	17.4