

MARINE EXPLOSION-PROOF LIGHTS SERIES

dHF220-250 Exproof Flood Light

Application Applied to illumination of ship oil exploit platform, chemical product and explosive gas plaze zone 1 and zone 2. Product Feature 1. The body is made of cast brass, lampshade is transpare...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Explosion-proof Lights Series
Standard	GB
Material	The body is made of cast brass, lampshade is transparent toughened glass...
Weight / Size	3.Confirm to the GB3836.1-2010 and GB3836.2-2010 Specification Type Volt...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Explosion-proof Lights Series	Model / SKU	dHF220-250-Exproof-Flood-Light
Standard	GB	Material	The body is made of cast brass, lampshade is transparent toughened glass, with stainless steel metal guard, high water-proof and anti-corrosion.
Weight / Size	3.Confirm to the GB3836.1-2010<explosion environment first parts:general requirements for equipment> and GB3836.2-2010<explosive environment-parts second:equipment protected by flameproof enclosure D> Specification Type Voltage Power Luminous Flux Lamp Golder Ex-proof Symbol Light Source Weight dHF220-250 110/220V 50/60Hz 250W 9500lm E40 Exd II BT4 Gb High Pressure Sodium Lamp 42kg dHF220-400 110/220V 50/60Hz 400W 21000lm E40 Exd II BT3Gb 42kg dHF220-1000 110/220V 50/60Hz 1000W 65000lm E40 Exd II BT2 Gb 48kg	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

China dHF220-250 Exproof Flood Light:

Application

Applied to illumination of ship oil exploit platform, chemical product and explosive gas plaze zone 1 and zone 2.


Product Feature

1. The body is made of cast brass, lampshade is transparent toughened glass, with stainless steel metal guard, high water-proof and anti-corrosion.
2. Production class is IP56.

Standard

1. Chapter 3, Part 4 of Classification Society Rules for Classification of Sea-going Steel Ships 2015 and its Amendments;
- 2.GB7000.1-2015 , Luminaires –Part1:General requirements and tests.
- 3.Confirm to the GB3836.1-2010<explosion environment first parts:general requirements for equipment> and GB3836.2-2010<explosive environment-parts second:equipment protected by flameproof enclosure D>

Specification



Type	Voltage	Power	Luminous Flux	Lamp Golder	Ex-proof Symbol	Light Source	Weight
dHF220-250	110/220V 50/60Hz	250W	9500lm	E40	Exd II BT4 Gb	High Pressure Sodium Lamp	42kg
dHF220-400	110/220V 50/60Hz	400W	21000lm	E40	Exd II BT3Gb		42kg
dHF220-1000	110/220V 50/60Hz	1000W	65000lm	E40	Exd II BT2 Gb		48kg