

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE ELECTRICAL INSTRUMENT

Digital Three-row Combination Display Meter

ISO9001 Supplier

Class Certificate

Export Supply

Product description: Simultaneously measuring three phase current or voltage.
 Simultaneously measuring current, voltage, frequency Chart: Product description ...



Key Highlights

Category	Marine Electrical Instrument
Standard	EN
Weight / Size	Product description Type Measurement range Auxiliary power Accuracy Dime...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Electrical Instrument	Model / SKU	Digital-Three-row-Combination-Display-Meter
Standard	EN	Weight / Size	Product description Type Measurement range Auxiliary power Accuracy Dimension(mm) Display digits Digital Three-row Combination Display Ammeter D120-3I AC 0...100mA -0...10A DC 0...1mA -0...10A AC110V ±10% AC220V ±10% DC24V 0.5 120(H)x120(W)x75(D) Cut-out size 113(H)X113(D) 3 1/2 Digital Three- row Combination Display Voltmeter D120-3U AC 0...10V- 0...500V DC 0...50mV -0...500V 0.5 3 1/2 Digital Three-row Combination Display Current,Voltage,Frequency D120- I,U,F AC 0...10V-0...500V DC 0... 50mV -0...500V 0...1HZ-0... 9999HZ A,V:0.5 F:0.1 3 1/2
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS	■ Product description:	■ Chart:
----------	------------------------	----------

Product description:

Simultaneously measuring three phase current or voltage.

Simultaneously measuring current, voltage, frequency

Chart:

Product description	Type	Measurement range	Auxiliary power	Accuracy	Dimension(mm)	Display digits
---------------------	------	-------------------	-----------------	----------	---------------	----------------

Digital Three-row Combination Display Ammeter	D120-3I	AC 0...100mA -0...10A DC 0...1mA -0... 10A	AC110V ±10% AC220V ±10% DC24V	0.5	120(H)x120(W) x75(D) Cut-out size 113(H)x113(D)	3 1/2
Digital Three-row Combination Display Voltmeter	D120-3U	AC 0...10V-0... 500V DC 0...50mV -0...500V		0.5		3 1/2
Digital Three-row Combination Display Current,Voltage,Frequency	D120-I,U,F	AC 0...10V-0... 500V DC 0...50mV -0...500V 0...1HZ-0... 9999HZ		A,V:0. 5 F:0.1		3 1/2