

DIVING AIR COMPRESSOR

Diving Breathing High Pressure Air Compressor LYW200

LYW200, LYW265 high pressure air compressor is stationary compressor for breathing in diving, firefighting industry. It compresses free air to 30Mpa and removes oil, vapor and other contaminants by filters and separators...

- ISO9001 Supplier
- Class Certificate
- Export Supply



Key Highlights	
Category	Diving Air Compressor
Standard	EN
Material	Features Air-cooling piston reciprocating Oil splash lubrication Copper ...
Weight / Size	Features Air-cooling piston reciprocating Oil splash lubrication Copper ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.	

Technical Specifications			
Category	Diving Air Compressor	Model / SKU	Diving-Breathing-High-Pressure-Air-Compressor-LYW200
Standard	EN	Material	Features Air-cooling piston reciprocating Oil splash lubrication Copper pipe inter-cooler and after cooler Specially treated alloy cylinder, piston and piston ring High-strength nylon cooling fan assembly Intake filter Anti-shock floor mat Manual condensate drain knob Filling hose and filling valve Safety valves protection for every stage High temperature resistance plastic powder coating steel frame and base Activated carbon, monocular sieve for air purification in the filter Consumables and manuals are provided with every compressor The warranty period is 1 years Diving Breathing High Pressure Air Compressor LYW200 Main Specifications Model Operating pressure Drive Delivery rate Power Dimension Net weight Noise level LYW200 Max 300BAR Three-phase motor 200L/min 4.5kw 92*56*65 Cm 155 kg <79 dB (A) LYW200CD Max 300BAR Three-phase motor 200L/min 4.0kw 90*57*65 Cm 155 kg <79 dB (A) LYW265 Max 300BAR Three-phase motor 265L/min 5.5kw 96*57*69 Cm 160 kg <79 dB (A)

Weight / Size	Features Air-cooling piston reciprocating Oil splash lubrication Copper pipe inter-cooler and after cooler Specially treated alloy cylinder, piston and piston ring High-strength nylon cooling fan assembly Intake filter Anti-shock floor mat Manual condensate drain knob Filling hose and filling valve Safety valves protection for every stage High temperature resistance plastic powder coating steel frame and base Activated carbon, monocular sieve for air purification in the filter Consumables and manuals are provided with every compressor The warranty period is 1 years Diving Breathing High Pressure Air Compressor LYW200 Main Specifications Model Operating pressure Drive Delivery rate Power Dimension Net weight Noise level LYW200 Max 300BAR Three-phase motor 200L/min 4.5kw 92*56*65 Cm 155 kg <79 dB (A) LYW200CD Max 300BAR Three-phase motor 200L/min 4.0kw 90*57*65 Cm 155 kg <79 dB (A) LYW265 Max 300BAR Three-phase motor 265L/min 5.5kw 96*57*69 Cm 160 kg <79 dB (A)	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- China Diving Breathing High Pressure Air Compressor LYW200:
 - Features
- Diving Breathing High Pressure Air Compressor LYW200 Main Specifications

China Diving Breathing High Pressure Air Compressor LYW200:

LYW200, LYW265 high pressure air compressor is stationary compressor for breathing in diving, firefighting industry. It compresses free air to 30Mpa and removes oil, vapor and other contaminants by filters and separators. It is safe and reliable source of pure air. The air quality accords to EN international breathing compressed air quality.

Features

Air-cooling piston reciprocating
Oil splash lubrication

Copper pipe inter-cooler and after cooler
 Specially treated alloy cylinder, piston and piston ring
 High-strength nylon cooling fan assembly
 Intake filter
 Anti-shock floor mat
 Manual condensate drain knob
 Filling hose and filling valve
 Safety valves protection for every stage
 High temperature resistance plastic powder coating steel frame and base
 Activated carbon, monocular sieve for air purification in the filter
 Consumables and manuals are provided with every compressor
 The warranty period is 1 years



Diving Breathing High Pressure Air Compressor LYW200 Main Specifications

Model	Operating pressure	Drive	Delivery rate	Power	Dimension	Net weight	Noise level
LYW200	Max 300BAR	Three-phase motor	200L/min	4.5kw	92*56*65 Cm	155 kg	<79 dB (A)
LYW200CD	Max 300BAR	Three-phase motor	200L/min	4.0kw	90*57*65 Cm	155 kg	<79 dB (A)
LYW265	Max 300BAR	Three-phase motor	265L/min	5.5kw	96*57*69 Cm	160 kg	<79 dB (A)