

CHAIN SLING

Double Legs Pressed Wire Rope Sling

The specification of the steel wire in the form with the working load is : 6*37+FC-1670; The 0-90 can be used if the customers do not have any special requirement. Different construction rope with different w...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Chain Sling
Standard	EN
Material	Galvanized Steel Wire Rope
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications


Category	Chain Sling	Model / SKU	Double-Legs-Pressed-Wire-Rope-Sling
Standard	EN	Material	Galvanized Steel Wire Rope
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

China Double Legs Pressed Wire Rope Sling:

The specification of the steel wire in the form with the working load is : 6*37+FC-1670;

The 0-90 can be used if the customers do not have any special requirement.

Different construction rope with different working load, we can calculate the working load of the steel wire rope construction that the customer required.



Products type	Dia of rope(d) (mm)	Working load limit (kN)		A×B×d (mm)	Hook	
		00-900	900-1200		Art NO	Working load (t)
VSDH06	6	4.5	3.2	65×130×16	(US) S6	0.75
VSDH07	7	6.1	4.3	65×130×16	(US) S6	0.75
VSDH08	8	7.9	5.7	65×130×16	(US) S6	0.75
VSDH09	9	10	7.2	65×130×16	(US) S6	0.75
VSDH10	10	12	8.9	65×130×16	(US) S6	1
VSDH11	11	15	11	65×130×16	(US) S6	1.5
VSDH12	12	18	13	65×130×16	(US) S6	1.5
VSDH13	13	21	15	65×130×16	(US) S6	1.5
VSDH14	14	24	17	80×150×20	(US) S6	2
VSDH16	16	32	23	80×150×20	(US) S6	3
VSDH18	18	40	29	90×160×24	(US) S6	3
VSDH20	20	50	35	90×160×24	(US) S6	5
VSDH22	22	60	43	100×190×28	(US) S6	5
VSDH24	24	71	51	100×190×28	(US) S6	7.5
VSDH26	26	84	60	110×200×32	(US) S6	7.5
VSDH28	28	97	69	110×200×32	(US) S6	7.5
VSDH30	30	112	80	135×250×38	(US) S6	10
VSDH32	32	127	91	135×250×38	(US) S6	10
VSDH34	34	143	102	135×250×38	(EYE)	15
VSDH36	36	161	115	135×250×38	(EYE)	15

VSDH38	38	179	128	140×270×42	(EYE)	15
VSDH40	40	199	142	140×270×42	(EYE)	15
VSDH42	42	220	157	160×310×46	(EYE)	22
VSDH44	44	240	172	160×310×46	(EYE)	22
VSDH46	46	262	187	180×330×52	(EYE)	22
VSDH48	48	285	203	180×330×52	(EYE)	22
VSDH50	50	309	221	180×330×56	(EYE)	30
VSDH52	52	335	239	180×330×56	(EYE)	30
VSDH54	54	361	258	180×330×56	(EYE)	30
VSDH56	56	388	277	180×330×56	(EYE)	30
VSDH58	58	417	298	203×406×63	(EYE)	37
VSDH60	60	446	319	203×406×63	(EYE)	37