HOSE CRIMPING MACHINE

# DSG102-S Hose Crimping Machine

ISO9001 Supplier

Class Certificate

Export Supply

DSG102-S hose crimping machine is applicable to thecrimpingprocessing for the burst resisting hose, fiber tube and plastic pipe assembly used in the industry and agriculture and hydraulic transmission of engineerin...




## Key Highlights

| | |
|---|---|
| **Category** | Hose Crimping Machine |
| **Standard** | EN |
| **Weight / Size** | small volume, light weight, having multifunction, rapid opening of die, ... |
| **Certificate** | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

## Technical Specifications

| | | | |
|---|---|---|---|
| **Category** | Hose Crimping Machine | **Model / SKU** | DSG102-S-Hose-Crimping-Machine |
| **Standard** | EN | **Weight / Size** | small volume, light weight, having multifunction, rapid opening of die, being easy in operation, and convenient in maintenance. |
| **Certificate** | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS | **Warranty** | 12 Months unless specified otherwise |
| **Origin** | China | | |

**CONTENTS**

- China DSG102-S Hose Crimping Machine:
- Main Technical Characteristics:
- Feature:
- Diagram of Structure:

## China DSG102-S Hose Crimping Machine:

DSG102-S hose crimping machine is applicable to thecrimpingprocessing for the burst resisting hose, fiber tube and

plastic pipe assembly used in the industry and agriculture and hydraulic transmission of engineering machinery. This machine has the following characteristics: small volume, light weight, having multifunction, rapid opening of die, being easy in operation, and convenient in maintenance.

## Feature:

1.small dimension and small weight

2. multifunction,rapid opening of die

3.easy to operate and repair.

## Main Technical Characteristics:

Inside Diameter ofCrimpedRubber Hose:φ6 - 102 mm

Precision of Staff Gauge:0.02 mm

Power of Electric Motor:5.5KW

Maximum Crimping Force:1070 T

Rotating Speed:1440 r/min


Output Volume of Oil Pump:36 L/min

Capacity Oil Tank:200 L

Overall Dimension:1050×700×1550 (mm)

Weight:1500 Kg

## Diagram of Structure:




1. Electric Cabinet 2. Oil Tank 3. Filter Core 4. Oil Pump 5. Joining Disc 6. Liquid Control Valve 7. Oil Channel Block 8. Pressure Regulator Valve 9. Solenoid operated directional 10. Electric Motor 11. Die-Opening Cylinder 12. Staff Gauge 13. Top Cover of Frame 14. Piston 15. Joint of Die-Opening Cylinder 16. Frame 17. Die Holder 18. Spring 19. Pressure Gauge 20. Die-Opening Button 21. Die-Opening Button 22. Start-up Push Button of Oil Pump 23. Close-up Push Button of Oil Pump 24. Indicator Lamp of Power Supply 25. Manual/Automatic Knob 26. Power Supply Switch

| Name: | Hose crimping machine,hose crimper,Pipe locking machine,Locking pipe machine,tube locking machine, tube crimping machine,tube crimper,pipe crimping machine,pipe crimper. |
|---|---|
| Usage | Crimping hose |

| | |
|---|---|
| Popular type: | DX68 Hydraulic high pressure hose crimping machine 6-51mm |
| | DSG51A Multi-function pipe crimping machine 6-51mm |
| | DSG51B Multi-function pipe crimper 6-51mm |
| | DSG75 High pressure hose crimper 6-75mm |
| | DSG150 High pressure hose crimping machine 6-150mm |
| | DSG102S hose crimping machine 6-102mm |
| | DSG250A **Locking Pipe Machine** 6-51mm |
| | DSG250B tube crimping Machine 6-51mm |
| | DSG250C **Pipe Locking Machine** 6-51mm |
| | JK400 tube crimper 6-64mm |
| | JKS200 Manual type hose crimping machine 6-32mm |
| | SK100 Numeric control locking pipe machine 4-89mm |