

RECIPROCATING PUMP

DZ Series Marine Electric Piston Pump

DZ series Marine Electric piston Pump General description DZ series marine electric piston pump without the transmission medium can be hard particles or fibers; the temperature is not higher than 85c water,...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Reciprocating Pump
Standard	EN
Material	cast iron
Weight / Size	Suc Dia Power Speed Weight Mpa m m3/h 1/min mm mm mm kw rpm kg DZ-100 0....
Certificate	CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Reciprocating Pump	Model / SKU	DZ-Series-Marine-Electic-Piston-Pump
Standard	EN	Material	cast iron
Weight / Size	Suc Dia Power Speed Weight Mpa m m3/h 1/min mm mm mm kw rpm kg DZ-100 0.19 4 0.1 66 28 38 15 0.18 1400 15 DZ-250 0.29 5 0.25 56 42 50 23 0.25 1400 27 DZ-500 0.29 5 0.5 50 64 60 23 0.37 1400 27 DZ-1000 0.29 5 1 50 64 85 50 0.55 1400 37 DZ-2000 0.29 6 2 68 80 90 50 0.75 1400 47 DZ-3000 0.29 6 3 70 90 105 50 1.1 1400 120 DZ-4000 0.29 6 4 68 120 115 60 1.5 1400 140 DZ-5000 0.29 6 5 68 120 115 60 2.2 1420 140 DZ- 104 0.29 6 10 68 120 118 80 3 1420 230	Certificate	CCS
Warranty	12 Months unless specified otherwise	Origin	China


CONTENTS	■ DZ series Marine Electric piston Pump ■ Structural Specifications	■ General description ■ Performance Parameter
----------	---	---

DZ series Marine Electric piston Pump

General description

DZ series marine electric piston pump without the transmission medium can be hard particles or fibers; the temperature is not higher than 85c water,fresh water,oil,drainage.

Structural Specifications



Performance Parameter

Type	Discharge pressure	Suction head	Capacity	R e c i p r o c a t i n g n u m b e r	Travel	Jar Dia.	Suc Dia	Power	Speed	Weight
Mpa	m	m3/h	1/min	m m	mm	mm	kw	rpm	kg	
DZ-100	0.19	4	0.1	6 6	28	38	15	0.18	1400	15
DZ-250	0.29	5	0.25	5 6	42	50	23	0.25	1400	27
DZ-500	0.29	5	0.5	5 0	64	60	23	0.37	1400	27
DZ-1000	0.29	5	1	5 0	64	85	50	0.55	1400	37
DZ-2000	0.29	6	2	6 8	80	90	50	0.75	1400	47
DZ-3000	0.29	6	3	7 0	90	105	50	1.1	1400	120
DZ-4000	0.29	6	4	6 8	120	115	60	1.5	1400	140

DZ-5000	0.29	6	5	68	120	115	60	2.2	1420	140
DZ-10 ⁴	0.29	6	10	68	120	118	80	3	1420	230