

CHAIN SLING

Endless Wire Rope Sling

Endless wire rope sling is festured in softness,more suspension points,it can cater to operational requirements of small space and hight load,it is adaptable for special requirements of bulk hoisting under various condito...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Chain Sling
Standard	DIN
Material	Galvanized Steel Wire Rope
Weight / Size	(where the warning mark locates cannot be used as lifting point.) Produc...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Chain Sling	Model / SKU	Endless-Wire-Rope-Sling
Standard	DIN	Material	Galvanized Steel Wire Rope

Weight / Size	(where the warning mark locates cannot be used as lifting point.) Products code Diameter (mm) Weight (kg/m) Breaking load (kg) Rated single-limb load (kg) Rated double-limb load (kg) Rated four-limb load (kg) $\alpha=0^\circ$ $\alpha=45^\circ$ $\alpha=90^\circ$ $\alpha=45^\circ$ $\alpha=90^\circ$ EW010 10 0.21 6000 1000 1800 1400 3700 2800 EW012 12 0.35 10000 1600 3000 2000 5800 4000 EW016 16 0.59 18000 3000 5600 4000 11200 8000 EW019 19 0.84 24000 4000 7400 5600 14800 11200 EW023 23 1.51 38000 6300 11700 8800 23400 17600 EW029 29 2.36 48000 8000 14800 11300 29600 22600 EW034 34 2.86 60000 10000 18500 14100 37000 28200 EW040 40 3.99 90000 15000 27800 21200 55600 42400 EW046 46 6.02 120000 20000 37000 28200 74000 56400 EW054 54 7.63 150000 25000 46300 35300 92600 70600 EW060 60 9.45 200000 32000 59200 45100 118400 90200 EW067 67 11.41 240000 40000 74000 56400 148000 112800 EW075 75 13.58 300000 50000 92500 70500 185000 141000 EW080 80 15.96 360000 60000 111000 85000 222000 170000 EW087 87 18.48 420000 70000 130000 99000 260000 198000 EW095 95 24.15 480000 80000 148000 113000 296000 226000 EW100 100 27.3 588000 98000 181000 138000 362000 276000 EW110 110 30.59 690000 115000 213000 162000 426000 324000 EW118 118 41.58 780000 130000 241000 183000 482000 366000 EW135 135 46.9 1020000 170000 310000 240000 610000 470000 EW148 148 55.79 1200000 200000 370000 280000 720000 560000 EW160 160 66.52 1440000 240000 440000 340000 860000 670000 EW172 172 76.3 1680000 280000 520000 400000 1000000 780000 EW184 184 89.6	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
---------------	---	-------------	---

	1800000 300000 550000 420000 1080000 840000 EW196 196 102.2 2040000 340000 630000 480000 1220000 950000 EW208 208 115.5 2280000 380000 700000 537000 1360000 1060000 EW220 220 129.5 2520000 420000 770000 594000 1500000 1170000 EW234 234 144.2 2820000 470000 870000 660000 1690000 1310000 EW346 346 159.6 3120000 520000 960000 735000 1870000 1450000 EW258 258 175.7 3420000 570000 1050000 800000 2050000 1600000 EW276 276 201.6 3960000 660000 1200000 930000 2370000 1840000 EW295 295 229 4500000 750000 1380000 1060000 2700000 2100000 EW306 306 249 4920000 820000 1520000 1160000 2950000 2290000 EW324 324 280 5520000 920000 1700000 1300000 3310000 2570000 EW336 336 301.7 5940000 990000 1800000 1400000 3650000 2770000 EW356 356 335.3 6600000 1100000 2030000 1550000 3960000 3080000 EW368 368 359 7200000 1200000 2220000 1700000 4320000 3360000	
Warranty	12 Months unless specified otherwise	Origin China

China Endless Wire Rope Sling:

Endless wire rope sling is festured in softness,more suspension points,it cancater to operational requirements of small space and hight load,it is adaptable for special requirements of bulk hoisting under various conditons such as transformer.

Shipbuilding and special machinery.

(where the warning mark locates cannot be used as lifting point.)

Products code	Diamete r (mm)	Weigh t (kg/m)	Breaking load (kg)	Rated single-limb load (kg)	Rated double-limb load (kg)		Rated four-limb load (kg)	
				α=0°	α=45°	α=90°	α=45°	α=90°
EW010	10	0.21	6000	1000	1800	1400	3700	2800

EW012	12	0.35	10000	1600	3000	2000	5800	4000
EW016	16	0.59	18000	3000	5600	4000	11200	8000
EW019	19	0.84	24000	4000	7400	5600	14800	11200
EW023	23	1.51	38000	6300	11700	8800	23400	17600
EW029	29	2.36	48000	8000	14800	11300	29600	22600
EW034	34	2.86	60000	10000	18500	14100	37000	28200
EW040	40	3.99	90000	15000	27800	21200	55600	42400
EW046	46	6.02	120000	20000	37000	28200	74000	56400
EW054	54	7.63	150000	25000	46300	35300	92600	70600
EW060	60	9.45	200000	32000	59200	45100	118400	90200
EW067	67	11.41	240000	40000	74000	56400	148000	112800
EW075	75	13.58	300000	50000	92500	70500	185000	141000
EW080	80	15.96	360000	60000	111000	85000	222000	170000
EW087	87	18.48	420000	70000	130000	99000	260000	198000
EW095	95	24.15	480000	80000	148000	113000	296000	226000
EW100	100	27.3	588000	98000	181000	138000	362000	276000
EW110	110	30.59	690000	115000	213000	162000	426000	324000
EW118	118	41.58	780000	130000	241000	183000	482000	366000
EW135	135	46.9	1020000	170000	310000	240000	610000	470000
EW148	148	55.79	1200000	200000	370000	280000	720000	560000
EW160	160	66.52	1440000	240000	440000	340000	860000	670000
EW172	172	76.3	1680000	280000	520000	400000	1000000	780000
EW184	184	89.6	1800000	300000	550000	420000	1080000	840000
EW196	196	102.2	2040000	340000	630000	480000	1220000	950000
EW208	208	115.5	2280000	380000	700000	537000	1360000	1060000
EW220	220	129.5	2520000	420000	770000	594000	1500000	1170000
EW234	234	144.2	2820000	470000	870000	660000	1690000	1310000
EW346	346	159.6	3120000	520000	960000	735000	1870000	1450000
EW258	258	175.7	3420000	570000	1050000	800000	2050000	1600000
EW276	276	201.6	3960000	660000	1200000	930000	2370000	1840000
EW295	295	229	4500000	750000	1380000	1060000	2700000	2100000
EW306	306	249	4920000	820000	1520000	1160000	2950000	2290000
EW324	324	280	5520000	920000	1700000	1300000	3310000	2570000

EW336	336	301.7	5940000	990000	1800000	1400000	3650000	2770000
EW356	356	335.3	6600000	1100000	2030000	1550000	3960000	3080000
EW368	368	359	7200000	1200000	2220000	1700000	4320000	3360000

