

CABLE GLAND

EPG Series Marine Ex-Proof Cable Gland

Technical Specification: Diameter Type A D L E F Weight(kgs) ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Cable Gland
Weight / Size	Diameter Type A D L E F Weight(kgs) min max 1/2" EPG1-8 5.50 8.00 41 18 ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.	

Technical Specifications			
Category	Cable Gland	Model / SKU	EPG-Series-Marine-Ex-Proof-Cable-Gland
Weight / Size	Diameter Type A D L E F Weight(kgs) min max 1/2" EPG1-8 5.50 8.00 41 18 32 25 0.15 EPG1-10 8.00 10.50 EPG1-13 10.50 13.00 3/4" EPG2-10 8.00 10.50 41 18 36 39 0.20 EPG2-13 10.50 13.00 EPG2-15 13.00 15.50 EPG2-18 15.50 18.00 1" EPG3-18 15 18 52 22 45 49 0.38 EPG3-21 18 21 EPG3-24 21 24 1 1/4" EPG4-24 21 24 53 22 50 55 0.42 EPG4-27 24 27 EPG4-30 27 30 1 1/2" EPG5-33 30 33 53 22 57 62 0.52 EPG5-36 33 36 2" EPG6-39 36 39 53 22 67 73 0.75 EPG6-42 39 42 EPG6-45 42 45 2 1/2" EPG7-48 45 48 53 27 80 88 1.2 EPG7-51 48 51	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China



Technical Specification:

Diameter	Type	A		D	L	E	F	Weight(kgs)
		min	max					
1/2"	EPG1-8	5.50	8.00	41	18	32	25	0.15
	EPG1-10	8.00	10.50					
	EPG1-13	10.50	13.00					

3/4"	EPG2-10	8.00	10.50	41	18	36	39	0.20
	EPG2-13	10.50	13.00					
	EPG2-15	13.00	15.50					
	EPG2-18	15.50	18.00					
1"	EPG3-18	15	18	52	22	45	49	0.38
	EPG3-21	18	21					
	EPG3-24	21	24					
1 1/4"	EPG4-24	21	24	53	22	50	55	0.42
	EPG4-27	24	27					
	EPG4-30	27	30					
1 1/2"	EPG5-33	30	33	53	22	57	62	0.52
	EPG5-36	33	36					
2"	EPG6-39	36	39	53	22	67	73	0.75
	EPG6-42	39	42					
	EPG6-45	42	45					
2 1/2"	EPG7-48	45	48	53	27	80	88	1.2
	EPG7-51	48	51					