

IEC 60092 STANDARD CABLE (CHINA TYPE)

Fire-resistant Sealing Device for Cables

ISO9001 Supplier

Class Certificate

Export Supply

Composed of 140 mm long steel sleeve with 3-5 mm thickness, welded symmetrically to the bulkhead/deck. Used for class A-0 to A-60 steel bulkheads and decks.

Loading product image...

Key Highlights

Category	IEC 60092 Standard Cable (China Type)
Material	Composed of 140 mm long steel sleeve with 3-5 mm thickness, welded symme...
Certificate	DNVGL

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	IEC 60092 Standard Cable (China Type)	Model / SKU	Fire-resistant-Sealing-Device-for-Cables
Material	Composed of 140 mm long steel sleeve with 3-5 mm thickness, welded symmetrically to the bulkhead/deck. Used for class A-0 to A-60 steel bulkheads and decks.	Certificate	DNVGL
Warranty	12 Months unless specified otherwise	Origin	China

China Fire-resistant Sealing Device for Cables:

Composed of 140 mm long steel sleeve with 3-5 mm thickness, welded symmetrically to the bulkhead/deck.

Used for class A-0 to A-60 steel bulkheads and decks.