

MARINE WINDOW

Fireproof Side Scuttle

Standard: GB/T14413-93, IMO Res MSC 61(67), IMO Res. A.754(18) Fireproof Side Scuttle (Fireproof Porthole) is suitable for accommodations & other marine instructments with A60 fireproof requirement, and with EC ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Window
Standard	GB
Material	Steel
Weight / Size	Main Size List (mm):
Certificate	CCS, BV, ABS, GL, LR, DNV, NK,RINA, KR,IRS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Marine Window	Model / SKU	Fireproof-Side-Scuttle
Standard	GB	Material	Steel
Weight / Size	Main Size List (mm):	Certificate	CCS, BV, ABS, GL, LR, DNV, NK,RINA, KR,IRS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- China Fireproof Side Scuttle:
- A60 Fireproof Side Scuttle:
- Main Material:
- A0 Fireproof Side Scuttle:

China Fireproof Side Scuttle:

Standard: GB/T14413-93, IMO Res MSC 61(67), IMO Res. A.754(18)

Fireproof Side Scuttle (Fireproof Porthole) is suitable for accommodations & other marine instructments with A60 fireproof requirement, and with EC type approval certificate.


Fire protection class: A60, A0

Main Material:

Frame: Steel

Glass: Fireproof Glass


A60 Fireproof Side Scuttle:



Main Size List (mm):

Nominal Size	Wall Opening Size	Outside Size D2	Main Glass Thickness t		Glass Size
D	D1	D2	Heavy	Medium	D3
D200	D383	D380	10	8	D240
D250	D433	D430	12	8	D290
D300	D483	D480	15	10	D340
D350	D533	D530	15	12	D390
D400	D583	D580	15	12	D440
D450	D633	D630	19	15	D490

A0 Fireproof Side Scuttle:



Main Size List(mm):

Nominal Size	Wall Opening Size	Outside Size D2	Main Glass Thickness t	Glass Size
--------------	-------------------	-----------------	------------------------	------------

D	D1	D2	Heavy	Medium	D3
D200	D253	D250	10	8	D228
D250	D308	D305	12	8	D278
D300	D363	D360	15	10	D328
D350	D413	D410	15	12	D378
D400	D460	D463	15	12	D428
D450	D513	D510	19	15	D478
D500	D563	D560	19	15	D528