

EYE BOLTS & NUTS

ISO9001 Supplier

Class Certificate

Export Supply

G291 Regular Nut Eye Bolt

Size Table Shank Dia & Length (in) WLL (lbs) Weight per 100 (lbs) Dimensions (in) A ...



Key Highlights

Category	Eye Bolts & Nuts
Standard	EN
Material	Q235,45#
Weight / Size	Size Table Shank Dia & Length (in) WLL (lbs) Weight per 100 (lbs) Dimens...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.


Technical Specifications

Category	Eye Bolts & Nuts	Model / SKU	G291-Regular-Nut-Eye-Bolt
Standard	EN	Material	Q235,45#

Weight / Size	Size Table Shank Dia & Length (in) WLL (lbs) Weight per 100 (lbs) Dimensions (in) A B C D E F G H	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
	1/4 x 2 500 8.2 0.25 0.5 1 0.25 1.5		
	2 3.06 0.56 1/4 x 4 500 11.7 0.25		
	0.5 1 0.25 2.5 4 5.06 0.56 5/16 x 2		
	1/4 800 13.3 0.31 0.62 1.25 0.31		
	1.5 2.25 3.56 0.69 5/16 x 4 1/4		
	800 25 0.31 0.62 1.25 0.31 2.5		
	4.25 5.56 0.69 3/8 x 2 1/2 1200		
	23.3 0.38 0.75 1.5 0.38 1.5 2.5		
	4.12 0.88 3/8 x 4 1/2 1200 29.5		
	0.38 0.75 1.5 0.38 2.5 4.5 6.12		
	0.88 3/8 x 6 1200 35.2 0.38 0.75		
	1.5 0.38 2.5 6 7.62 0.88 1/2 x 3		
	1/4 2200 50.3 0.5 1 2 0.5 1.5 3.25		
	5.38 1.12 1/2 x 6 2200 66.1 0.5 1		
	2 0.5 3 6 8.12 1.12 1/2 x 8 2200		
	82 0.5 1 2 0.5 3 8 10.12 1.12 1/2 x		
	10 2200 88 0.5 1 2 0.5 3 10 12.12		
	1.12 1/2 x 12 2200 114.2 0.5 1 2		
	0.5 3 12 14.12 1.12 1/2 x 15 2200		
	116.85 0.5 1 2 0.5 4 15 17.12 1.12		
	5/8 x 4 3500 103.1 0.62 1.25 2.5		
	0.62 2 4 6.69 1.44 5/8 x 6 3500		
	118.2 0.62 1.25 2.5 0.62 3 6 8.69		
	1.44 5/8 x 8 3500 135.1 0.62 1.25		
	2.5 0.62 3 8 10.69 1.44 5/8 x 10		
	3500 153.6 0.62 1.25 2.5 0.62 3		
	10 12.69 1.44 5/8 x 12 3500 167.1		
	0.62 1.25 2.5 0.62 4 12 14.69 1.44		
	5/8 x 15 3500 201.16 0.62 1.25		
	2.5 0.62 5 15 17.69 1.44 5/8 x 24		
	3500 279.1 0.62 1.25 2.5 0.62 6		
	24 26.69 1.44 3/4 x 4 1/2 5200		
	168.6 0.75 1.5 3 0.75 2 4.5 7.69		
	1.69 3/4 x 6 5200 184.5 0.75 1.5 3		
	0.75 3 6 9.19 1.69 3/4 x 8 5200		
	207.9 0.75 1.5 3 0.75 3 8 11.19		
	1.69 3/4 x 10 5200 235 0.75 1.5 3		
	0.75 3 10 13.19 1.69 3/4 x 12		
	5200 257.5 0.75 1.5 3 0.75 4 12		
	15.19 1.69 3/4 x 15 5200 298 0.75		
	1.5 3 0.75 5 15 18.19 1.69 7/8 x 5		
	7200 270 0.88 1.75 3.5 0.88 2.5 5		
	8.75 2 7/8 x 8 7200 308 0.88 1.75		
	3.5 0.88 4 8 11.75 2 7/8 x 12 7200		
	400 0.88 1.75 3.5 0.88 4 12 15.75		
	2 1 x 6 10000 421 1 2 4 1 3 6		
	10.31 2.31 1 x 9 10000 468.5 1 2		
	4 1 4 9 13.31 2.31 1 x 12 10000		
	540 1 2 4 1 4 12 16.31 2.31 1 x 18		

	10000 650 1 2 4 1 7 18 22.31 2.31 1 1/4 x 8 15200 750 1.25 2.5 5 1.25 4 8 13.38 2.88 1 1/4 x 12 15200 900 1.25 2.5 5 1.25 4 12 17.38 2.88 1 1/4 x 20 15200 1210 1.25 2.5 5 1.25 6 20 25.38 2.88	
Warranty	12 Months unless specified otherwise	Origin China

Size Table



Shank Dia & Length (in)	WLL (lbs)	Weight per 100 (lbs)	Dimensions (in)							
			A	B	C	D	E	F	G	H
1/4 x 2	500	8.2	0.25	0.5	1	0.25	1.5	2	3.06	0.56
1/4 x 4	500	11.7	0.25	0.5	1	0.25	2.5	4	5.06	0.56
5/16 x 2 1/4	800	13.3	0.31	0.62	1.25	0.31	1.5	2.25	3.56	0.69
5/16 x 4 1/4	800	25	0.31	0.62	1.25	0.31	2.5	4.25	5.56	0.69
3/8 x 2 1/2	1200	23.3	0.38	0.75	1.5	0.38	1.5	2.5	4.12	0.88
3/8 x 4 1/2	1200	29.5	0.38	0.75	1.5	0.38	2.5	4.5	6.12	0.88
3/8 x 6	1200	35.2	0.38	0.75	1.5	0.38	2.5	6	7.62	0.88
1/2 x 3 1/4	2200	50.3	0.5	1	2	0.5	1.5	3.25	5.38	1.12
1/2 x 6	2200	66.1	0.5	1	2	0.5	3	6	8.12	1.12
1/2 x 8	2200	82	0.5	1	2	0.5	3	8	10.12	1.12
1/2 x 10	2200	88	0.5	1	2	0.5	3	10	12.12	1.12
1/2 x 12	2200	114.2	0.5	1	2	0.5	3	12	14.12	1.12
1/2 x 15	2200	116.85	0.5	1	2	0.5	4	15	17.12	1.12
5/8 x 4	3500	103.1	0.62	1.25	2.5	0.62	2	4	6.69	1.44
5/8 x 6	3500	118.2	0.62	1.25	2.5	0.62	3	6	8.69	1.44

5/8 x 8	3500	135.1	0.62	1.25	2.5	0.62	3	8	10.69	1.44
5/8 x 10	3500	153.6	0.62	1.25	2.5	0.62	3	10	12.69	1.44
5/8 x 12	3500	167.1	0.62	1.25	2.5	0.62	4	12	14.69	1.44
5/8 x 15	3500	201.16	0.62	1.25	2.5	0.62	5	15	17.69	1.44
5/8 x 24	3500	279.1	0.62	1.25	2.5	0.62	6	24	26.69	1.44
3/4 x 4 1/2	5200	168.6	0.75	1.5	3	0.75	2	4.5	7.69	1.69
3/4 x 6	5200	184.5	0.75	1.5	3	0.75	3	6	9.19	1.69
3/4 x 8	5200	207.9	0.75	1.5	3	0.75	3	8	11.19	1.69
3/4 x 10	5200	235	0.75	1.5	3	0.75	3	10	13.19	1.69
3/4 x 12	5200	257.5	0.75	1.5	3	0.75	4	12	15.19	1.69
3/4 x 15	5200	298	0.75	1.5	3	0.75	5	15	18.19	1.69
7/8 x 5	7200	270	0.88	1.75	3.5	0.88	2.5	5	8.75	2
7/8 x 8	7200	308	0.88	1.75	3.5	0.88	4	8	11.75	2
7/8 x 12	7200	400	0.88	1.75	3.5	0.88	4	12	15.75	2
1 x 6	10000	421	1	2	4	1	3	6	10.31	2.31
1 x 9	10000	468.5	1	2	4	1	4	9	13.31	2.31
1 x 12	10000	540	1	2	4	1	4	12	16.31	2.31
1 x 18	10000	650	1	2	4	1	7	18	22.31	2.31
1 1/4 x 8	15200	750	1.25	2.5	5	1.25	4	8	13.38	2.88
1 1/4 x 12	15200	900	1.25	2.5	5	1.25	4	12	17.38	2.88
1 1/4 x 20	15200	1210	1.25	2.5	5	1.25	6	20	25.38	2.88