

HEAT EXCHANGER

GLZ seawater cooler

Model L1 L2 L3 L4 L5 D1 D2 d1 d2 d3 ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights


|               |                                                                                   |
|---------------|-----------------------------------------------------------------------------------|
| Category      | Heat Exchanger                                                                    |
| Weight / Size | Model L1 L2 L3 L4 L5 D1 D2<br>d1 d2 d3 d4 d5 d6 H1 H2 n-a*b<br>F f n-d1 n-d2 t... |
| Certificate   | ABS, LR, BV, DNVGL, NK, KR,<br>IRS, RMRS, CCS                                     |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

|               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |             |                                            |
|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------------------------------------------|
| Category      | Heat Exchanger                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Model / SKU | GLZ-seawater-cooler                        |
| Weight / Size | Model L1 L2 L3 L4 L5 D1 D2 d1 d2 d3 d4 d5 d6 H1 H2 n-a*b F f n-d1 n-d2 t Weight kg GLZ-3 1229 635 354 395 550 440 180 40 40 110 110 145 145 280 260 4-20*28 400 340 4-φ18 4-φ18 6 270 GLZ-6 1604 900 408 460 800 500 200 40 40 110 110 145 145 310 300 4-20*28 450 390 4-φ18 4-φ18 6 390 GLZ-12 2180 1450 418 495 1300 560 220 80 80 160 160 195 195 345 340 4-20*28 500 440 4-φ18 4-φ18 6 580 GLZ-25 2440 1640 465 560 1450 670 250 100 100 180 180 215 215 400 400 4-20*28 610 540 8-φ18 8-φ18 8 920 GLZ-50 2020 2900 690 840 2600 780 300 125 125 210 210 245 245 450 450 4-20*30 710 650 8-φ18 8-φ18 8 1950 GLZ-100 4530 3150 810 1035 2700 1010 400 200 200 295 295 335 335 600 600 4-20*32 910 840 8-φ18 8-φ18 9 3450 | Certificate | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS |
| Warranty      | 12 Months unless specified otherwise                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Origin      | China                                      |

China GLZ seawater cooler:



| Mod el | L1   | L2  | L3  | L4  | L5  | D1  | D2  | d1 | d2 | d3  | d4  | d5  | d6  | H1  | H2  | n-a*b   | F   | f   | n-d1  | n-d2  | t | Weig ht kg |
|--------|------|-----|-----|-----|-----|-----|-----|----|----|-----|-----|-----|-----|-----|-----|---------|-----|-----|-------|-------|---|------------|
| GLZ-3  | 1229 | 635 | 354 | 395 | 550 | 440 | 180 | 40 | 40 | 110 | 110 | 145 | 145 | 280 | 260 | 4-20*28 | 400 | 340 | 4-φ18 | 4-φ18 | 6 | 270        |

|             |          |          |             |          |          |          |         |             |             |             |             |             |             |         |         |                 |             |             |               |               |   |      |
|-------------|----------|----------|-------------|----------|----------|----------|---------|-------------|-------------|-------------|-------------|-------------|-------------|---------|---------|-----------------|-------------|-------------|---------------|---------------|---|------|
| GLZ<br>-6   | 16<br>04 | 90<br>0  | 4<br>0<br>8 | 46<br>0  | 80<br>0  | 50<br>0  | 20<br>0 | 4<br>0      | 4<br>0      | 11<br>0     | 11<br>0     | 1<br>4<br>5 | 1<br>4<br>5 | 31<br>0 | 30<br>0 | 4-<br>20*<br>28 | 4<br>5<br>0 | 3<br>9<br>0 | 4-<br>ø1<br>8 | 4-<br>ø1<br>8 | 6 | 390  |
| GLZ<br>-12  | 21<br>80 | 14<br>50 | 4<br>1<br>8 | 49<br>5  | 13<br>00 | 56<br>0  | 22<br>0 | 8<br>0      | 8<br>0      | 1<br>6<br>0 | 1<br>6<br>0 | 1<br>9<br>5 | 1<br>9<br>5 | 34<br>5 | 34<br>0 | 4-<br>20*<br>28 | 5<br>0<br>0 | 4<br>4<br>0 | 4-<br>ø1<br>8 | 4-<br>ø1<br>8 | 6 | 580  |
| GLZ<br>-25  | 24<br>40 | 16<br>40 | 4<br>6<br>5 | 56<br>0  | 14<br>50 | 67<br>0  | 25<br>0 | 1<br>0<br>0 | 1<br>0<br>0 | 1<br>8<br>0 | 1<br>8<br>0 | 2<br>1<br>5 | 2<br>1<br>5 | 40<br>0 | 40<br>0 | 4-<br>20*<br>28 | 6<br>1<br>0 | 5<br>4<br>0 | 8-<br>ø1<br>8 | 8-<br>ø1<br>8 | 8 | 920  |
| GLZ<br>-50  | 20<br>20 | 29<br>00 | 6<br>9<br>0 | 84<br>0  | 26<br>00 | 78<br>0  | 30<br>0 | 1<br>2<br>5 | 1<br>2<br>5 | 2<br>1<br>0 | 2<br>1<br>0 | 2<br>4<br>5 | 2<br>4<br>5 | 45<br>0 | 45<br>0 | 4-<br>20*<br>30 | 7<br>1<br>0 | 6<br>5<br>0 | 8-<br>ø1<br>8 | 8-<br>ø1<br>8 | 8 | 1950 |
| GLZ<br>-100 | 45<br>30 | 31<br>50 | 8<br>1<br>0 | 10<br>35 | 27<br>00 | 10<br>10 | 40<br>0 | 2<br>0<br>0 | 2<br>0<br>0 | 2<br>9<br>5 | 2<br>9<br>5 | 3<br>3<br>5 | 3<br>3<br>5 | 60<br>0 | 60<br>0 | 4-<br>20*<br>32 | 9<br>1<br>0 | 8<br>4<br>0 | 8-<br>ø1<br>8 | 8-<br>ø1<br>8 | 9 | 3450 |