

LOAD BINDER

High Test Red Painted US Type Ratchet Type Load Binder

ISO9001 Supplier

Class Certificate

Export Supply

Similar Name US Type Ratchet Type Load Binder Spray Plastics Ratchet Type Load Binder
Drop Forged Ratchet Type Load Binder Standard ratchet type load binder hook and hook
Main Specifi...



Key Highlights

Category	Load Binder
Standard	EN
Material	45# Steel
Weight / Size	Similar Name US Type Ratchet Type Load Binder Spray Plastics Ratchet Typ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Load Binder	Model / SKU	High-Test-Red-Painted-US-Type-Ratchet-Type-Load-Binder
Standard	EN	Material	45# Steel
Weight / Size	Similar Name US Type Ratchet Type Load Binder Spray Plastics Ratchet Type Load Binder Drop Forged Ratchet Type Load Binder Standard ratchet type load binder hook and hook Main Specification Compromise of handle and hooks Forging and casting 45# Steel Size Table A B C E E1 F F1 G Chain Size(in) WLL(lbs) Weight(lbs) Handle Length(in) 7.16 0.89 1.77 16.22 21.26 17.79 22.83 0.35 1/4-5/16 2600 3.52 7.16 13.92 1.3 2.6 22.64 30.64 25.25 33.24 0.51 5/16-3/8 5400 10.5 13.42 13.92 1.3 2.6 24.13 32.13 27.04 35.04 0.59 3/8-1/2 9200 12.9 13.92 13.92 1.3 2.6 26.45 34.45 30.07 38.07 0.74 1/2-5/8 13000 14.38 13.92	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	■ Similar Name	■ Main Specification
	■ Size Table	


Similar Name

- US Type Ratchet Type Load Binder
- Spray Plastics Ratchet Type Load Binder
- Drop Forged Ratchet Type Load Binder
- Standard ratchet type load binder hook and hook

Main Specification

- Compromise of handle and hooks
- Forging and casting
- 45# Steel

Size Table



A	B	C	E	E1	F	F1	G	Chain Size(in)	WLL(lbs)	Weight(lbs)	Handle Length(in)
7.16	0.89	1.77	16.2 2	21.2 6	17.7 9	22.8 3	0.35	1/4-5/16	2600	3.52	7.16
13.9 2	1.3	2.6	22.6 4	30.6 4	25.2 5	33.2 4	0.51	5/16-3/8	5400	10.5	13.42
13.9 2	1.3	2.6	24.1 3	32.1 3	27.0 4	35.0 4	0.59	3/8-1/2	9200	12.9	13.92
13.9 2	1.3	2.6	26.4 5	34.4 5	30.0 7	38.0 7	0.74	1/2-5/8	13000	14.38	13.92