

MARINE COMMUNICATION AND NAVIGATION EQUIPMENT

HLD-ECDIS60 Electronic Chart Display And Information System

HLD-ECDIS 600 is fully developed by our' s own advanced technology. The product fully meets the requirements of IMO standard and the latest IEC standards, approved by CCS and the Norway classification society DNV-GL A p...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Communication And Navigation Equipment
Standard	DIN
Weight / Size	support 19",23", 24 "and 26" and other dimensions of maritime special in...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Communication And Navigation Equipment	Model / SKU	HLD-ECDIS60-Electronic-Chart-Display-And-Information-System
Standard	DIN	Weight / Size	support 19",23", 24 "and 26" and other dimensions of maritime special industrial LCD monitors Good training system To meet the requirements of the latest STCW convention, can be in the sea he believed in office and engineering agency to attendtraining, also can be authorized by the owner training center to participate in training, but also by the sea he believed in onlineeducation system for training. Basic functions Chart showing :
Surface	ENC update on line ENC update not only can be implemented locally, but also the ENC update can be finished online,by addressing the data sever in us and downloading the ENC updates.	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	■ China HLD-ECDIS60 Electronic Chart Display And Information System: ■ Specific functions	■ Basic functions
-----------------	--	---

China HLD-ECDIS60 Electronic Chart Display And Information System:

HLD-ECDIS 600 is fully developed by our' s own advanced technology. The product fully meetsthe requirements of IMO standard and the latest IEC standards, approved by CCS and the Norwayclassification society DNV-GL A prototype of the system has experienced of validation in the marketto ensure the convenient use, stable and reliable, powerful. The product supports Chinese / Englishswitch, chart data update online, radar overlay, track control etc.. The system can be composed of adouble workstation, also can be used as a part ofINS.

Features:

Chinese/ English switchProvide Chinese/ English switchfunction,Chinese display interface ismore friendly.

Track control

Track Control is available by connecting to the Steering Control System from Highlander so that the sailor could do more tasksbesides frequent rudder adjustment.

ENC update on line

ENC update not only can be implemented locally, but also the ENC update can be finished online, by addressing the data server in us and downloading the ENC updates.

Radar echo and ARPA overlay

Our Radar overlay is supplied directly based on LAN. For other manufacturers' radar, Extractor Radar Acquisition PCI Board adapter is needed for echo overlay, ARPA targets can be displayed on Charts based on TTD or TTM sentence.

Weather routing

Provide weather data loading and display function, Route generation based on the departure port and destination, and route optimization based on weather data and optimization index (short time short distance or lower energy), can supply the weather forecast data of China and France to ship owner, to assist the sailor to make the decision of navigation route.

NAVTEX management

Receive and display NAVTEX message, some filter criteria are available. For some special NAVTEX message, like military exercise area or wreck, the exact position of objects will be drawn on charts.

Chart data display

Support IHO -57, S-63 formats of electronic chart, can supply the ENC data of UKHO AVCS, PRIMAR, CNHO, China MSA, China CwB

(Yangtze River), etc. to ship owner, global data coverage.

Friendly interface

Integrated information display is convenient for the user at any time to observe and set the control parameters; provide English/Chinese switching function; support 19", 23", 24" and 26" and other dimensions of maritime special industrial LCD monitors

Good training system

To meet the requirements of the latest STCW convention, can be in the sea he believed in office and engineering agency to attend training, also can be authorized by the owner training center to participate in training, but also by the sea he believed in online education system for training.

Basic functions

Chart showing : Course up or North up; different layers showing the chart information. Route Planning Task : Ability to calculate the distance and bearing between any 2 waypoints, vessel position, track error, etc.

Chart Data Correction : Accepts official chart data update automatically or via user's download, with automatic or manual correction.

Position Fix & Navigation : Receives and process navigational sensors data, providing consistent reference position, track, heading, speed, etc, with various land reference for position fixing.

Voyage information acquirement : get the information including the description of the objects and the marine condition, ex. meteorological, tide, and the Ocean current.

Radar overlaying : Radar signals overlay on the chart display for navigation and collision avoidance function. correlation between moving and fixed targets navigator can assess collision risk and taking collision avoidance decisions and actions test trial collision

avoidance decisions.

Route Monitoring : automatic calculation of ship offset current state and plan routes when sailing, alert in necessary conditionautomatic detection of dangerous sea, reef and so on, to realize the collision avoidance and Stranded prevention.

Voyage recording : ECDIS will record and playback the 12 hours tracking information(include the time, vessel location, headingspeed, chart source, version and so on)every 1 min.

| Specific functions

LOP data can be presented both alphanumerically and graphically

BACK UP two workstations are mutual backup function

NAVTEX message management and display

TCS track control(Optional)

Conning integrated navigation information display system (Optional)

RDS route decision support (Optional)