CABLE CODE

IEEE Std. 45/1580 Marine & Offshore Cable

ISO9001 Supplier

Class Certificate

Export Supply

Marine & Offshore Cable 2KV Power(Distribution) Cable   Flame retardant: SP SPA SPB SPBS   Fire resistant: FS-SP FS-SPA FS-SPB FS-SPBS 600V Power(Distribution) Cable   Sin...

Loading product image...

Key Highlights

Category	Cable Code
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Cable Code	**Model / SKU**	IEEE-Std-45-1580-Marine-Offshore-Cable
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	**Warranty**	12 Months unless specified otherwise
Origin	China		

Marine & Offshore Cable

2KV Power(Distribution) Cable
Flame retardant: SP SPA SPB SPBS
Fire resistant: FS-SP FS-SPA FS-SPB FS-SPBS
600V Power(Distribution) Cable
Single Core Flame retardant power cable
SP SPA SPB SPBS
SLSEL SLSELA SLSELB SLSELBS
SPM SPMA SPMB SPMBS

Single core fire-resistant power cable

FS-SP FS-SPA FS-SPB FS-SPBS
FS-SLSEL FS-SLSELA FS-SLSELB FS-SLSELBS
FS-SPM FS-SPMA FS-SPMB FS-SPMBS
Two Cores Flame retardant power cable
DP DPA DPB DPBS
DPN DPNA DPNB DPNBS
DLSEL DLSELA DLSELB DLSELBS
DPM DPMA DPMB DPMBS

Two Cores Fire-resistant power cable

FS-DP FS-DPA FS-DPB FS-DPBS
FS-DPN FS-DPNA FS-DPNB FS-DPNBS
FS-DLSEL FS-DLSELA FS-DLSELB FS-DLSELBS
FS-DPM FS-DPMA FS-DPMB FS-DPMBS

Three Cores Flame retardant power cable

TP TPA TPB TPBS
TPN TPNA TPNB TPNBS
TLSEL TLSELA TLSELB TLSELBS
TPM TPMA TPMB TPMBS
Three Cores Fire-resistant power cable
FS-TP FS-TPA FS-TPB FS-TPBS
FS-TPN FS-TPNA FS-TPNB FS-TPNBS
FS-TLSEL FS-TLSELA FS-TLSELB FS-TLSELBS
FS-TPM FS-TPMA FS-TPMB FS-TPMBS

Four Cores Flame retardant power cable

FP FPA FPB FPBS
FPN FPNA FPNB FPNBS
FLSEL FLSELA FLSELB FLSELBS
FPM FPMA FPMB FPMBS
Four Cores Fire-resistant power cable
FS-FP FS-FPA FS-FPB FS-FPBS
FS-FPN FS-FPNA FS-FPNB FS-FPNBS
FS-FLSEL FS-FLSELA FS-FLSELB FS-FLSELBS
FS-FPM FS-FPMA FS-FPMB FS-FPMBS

Five Cores Flame retardant power cable

QP QPA QPB QPBS
QPN QPNA QPNB QPNBS
QLSEL QLSELA QLSELB QLSELBS
QPM QPMA QPMB QPMBS
Five Cores Fire-resistant power cable
FS-QP FS-QPA FS-QPB FS-QPBS
FS-QPN FS-QPNA FS-QPNB FS-QPNBS
FS-QLSEL FS-QLSELA FS-QLSELB FS-QLSELBS
FS-QPM FS-QPMA FS-QPMB FS-QPMBS

600V Control Cable(Non-shield)

Flame retardant: CPN CPNA CPNB CPNBS
CLSEL CLSELA CLSELB CLSELBS
CPM CPMA CPMB CPMBS
Fire resistant:
FS-CPN FS-CPNA FS-CPNB FS-CPNBS
FS-CLSEL FS-CLSELA FS-CLSELB FS-CLSELBS
FS-CPM FS-CPMA FS-CPMB FS-CPMBS

600V Control Cable(Overall-shield)

Flame retardant: C(OS)PN C(OS)PNA C(OS)PNB
C(OS)PNBS
C(OS)LSEL C(OS)LSELA C(OS)LSELB C(OS)LSELBS
C(OS)PM C(OS)PMA C(OS)PMB C(OS)PMBS
Fire resistant:
FS-C(OS)PN FS-C(OS)PNA FS-C(OS)PNB FS-C(OS)PNBS
FS-C(OS)LSEL FS-C(OS)LSELA FS-C(OS)LSELB FS-C(OS)LSELBS
FS-C(OS)PM FS-C(OS)PMA FS-C(OS)PMB FS-C(OS)PMBS

600V Control Cable(Overall Braid shield)

Flame retardant: C(OBS)PN C(OBS)PNA C(OBS)PNB
C(OBS)PNBS
C(OS)LSEL C(OS)LSELA C(OS)LSELB C(OS)LSELBS
C(OBS)PM C(OBS)PMA C(OBS)PMB C(OBS)PMBS
Fire resistant:
FS-C(OBS)PN FS-C(OBS)PNA FS-C(OBS)PNB FS-C(OBS)PNBS
FS-C(OS)LSEL FS-C(OS)LSELA FS-C(OS)LSELB FS-C(OS)LSELBS
FS-C(OBS)PM FS-C(OBS)PMA FS-C(OBS)PMB FS-C(OBS)PMBS

600V Signal Cable (Individual Shield)—Pair twisted

TP (I/S)PN TP(I/S)PNA TP(I/S)PNB TP(I/S)PNBS
TP(I/S)LSEL TP(I/S)LSELA TP(I/S)LSELB TP(I/S)LSELBS
TP(I/S)PM TP(I/S)PMA TP(I/S)PMB TP(I/S)PMBS