

INCANDESCENT LIGHT

Incandescent Pendant Light CCD5-2

Used to illumination for wet places in deck, sidewalk in ships or cabin

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Incandescent Light
Standard	EN
Material	Voltage 24V Power 25W Illuminant Incandescent Lamp Lamp Holder B15d Weig...
Weight / Size	Voltage 24V Power 25W Illuminant Incandescent Lamp Lamp Holder B15d Weig...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Incandescent Light	Model / SKU	Incandescent-Pendant-Light-CCD5-2
Standard	EN	Material	Voltage 24V Power 25W Illuminant Incandescent Lamp Lamp Holder B15d Weight 1.35kg Material Stainless Steel Protection Class IP56 Cable Diameter Dia14-16mm Color Transparent, Frosted, Opal, Red, Green
Weight / Size	Voltage 24V Power 25W Illuminant Incandescent Lamp Lamp Holder B15d Weight 1.35kg Material Stainless Steel Protection Class IP56 Cable Diameter Dia14-16mm Color Transparent, Frosted, Opal, Red, Green	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	China Incandescent Pendant Light CCD5-2: Main Specification:
----------	--

China Incandescent Pendant Light CCD5-2:



Used to illumination for wet places in deck, sidewalk in ships or cabin

Main Specification:

Voltage	24V
Power	25W
Illuminant	Incandescent Lamp

Lamp Holder	B15d
Weight	1.35kg
Material	Stainless Steel
Protection Class	IP56
Cable Diameter	Dia14-16mm
Color	Transparent, Frosted, Opal, Red, Green