

CHAIN SLING

Industrial Equipment Hoisting Motor Rotating Rings

ISO9001 Supplier

Class Certificate

Export Supply

Model Tension T Bolt Size Size (mm) NET Weight KG C EL A B ...




Key Highlights

Category	Chain Sling
Standard	EN
Material	Alloy Steel Forging
Weight / Size	Model Tension T Bolt Size Size (mm) NET Weight KG C EL A B D F S YD-081-...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Chain Sling	Model / SKU	Industrial-Equipment-Hoisting-Motor-Rotating-Rings
Standard	EN	Material	Alloy Steel Forging
Weight / Size	Model Tension T Bolt Size Size (mm) NET Weight KG C EL A B D F S YD-081-003 0.3 M 8×1.25×45 34 15 30 56 10 95 6 0.25 YD-081-006 0.6 M10×1.50×50 34 20 30 56 10 95 6 0.35 YD-081-010 1 M12×1.75×65 45 25 40 66 13 120 8 0.6 YD-081- 012 1.2 M14×2.0× 65 45 25 40 66 13 120 10 0.6 YD-081-015 1.5 M16×2.0× 65 45 25 40 66 13 120 10 0.6 YD-081-020 2 M18×2.0× 95 65 30 61 98 16 150 12 1.4 YD- 081-025 2.5 M20×2.5×105 65 40 61 98 16 150 12 1.4 YD-081-040 4 M24×3.0×105 65 40 61 98 16 150 14 1.5 YD-081-042 4 M27×3.0×105 70 40 66 116 23 185 17 2.9 YD-081-050 5 M30×3.5×115 70 55 66 116 23 185 17 3.2 YD-081-070 7 M36×4.0×120 70 60 66 116 23 185 22 3.4 YD-081-080 8 M36×4.0×145 86 65 80 140 27 240 22 5.9 YD-081-100 10 M42×4.5×155 86 75 80 140 27 240 24 6.4 YD-081-150 15 M42×4.5×155 105 65 100 178 36 265 24 11 YD-081-200 20 M48×5.0×165 105 75 100 178 36 265 27 11.8	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

China Industrial Equipment Hoisting Motor Rotating Rings:



Model	Tension T	Bolt Size	Size (mm)							NET Weight KG
			C	EL	A	B	D	F	S	
YD-081-003	0.3	M 8×1.25×45	34	15	30	56	10	95	6	0.25
YD-081-006	0.6	M10×1.50×50	34	20	30	56	10	95	6	0.35
YD-081-010	1	M12×1.75×65	45	25	40	66	13	120	8	0.6
YD-081-012	1.2	M14×2.0× 65	45	25	40	66	13	120	10	0.6
YD-081-015	1.5	M16×2.0× 65	45	25	40	66	13	120	10	0.6
YD-081-020	2	M18×2.0× 95	65	30	61	98	16	150	12	1.4
YD-081-025	2.5	M20×2.5×105	65	40	61	98	16	150	12	1.4
YD-081-040	4	M24×3.0×105	65	40	61	98	16	150	14	1.5
YD-081-042	4	M27×3.0×105	70	40	66	116	23	185	17	2.9
YD-081-050	5	M30×3.5×115	70	55	66	116	23	185	17	3.2
YD-081-070	7	M36×4.0×120	70	60	66	116	23	185	22	3.4
YD-081-080	8	M36×4.0×145	86	65	80	140	27	240	22	5.9
YD-081-100	10	M42×4.5×155	86	75	80	140	27	240	24	6.4
YD-081-150	15	M42×4.5×155	105	65	100	178	36	265	24	11
YD-081-200	20	M48×5.0×165	105	75	100	178	36	265	27	11.8