

MARINE STOCKLESS ANCHOR

Japan Stockless Anchor

Japan Stockless Anchor is one of conventional anchor, widely used for stockless bower anchor; Good quality, Fast delivery; Supply with LR, ABS, BV, GL, DNV, NK, KR, IRS and CCS Class Certificate.

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

|               |                                                  |
|---------------|--------------------------------------------------|
| Category      | Marine Stockless Anchor                          |
| Standard      | JIS                                              |
| Material      | Casting Steel                                    |
| Weight / Size | 180KGS-46000KGS                                  |
| Certificate   | ABS, LR, BV, DNV, GL, RINA, NK, KR, RS, IRS, CCS |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

|               |                                      |             |                                                  |
|---------------|--------------------------------------|-------------|--------------------------------------------------|
| Category      | Marine Stockless Anchor              | Model / SKU | Japan-Stockless-Anchor                           |
| Standard      | JIS                                  | Material    | Casting Steel                                    |
| Weight / Size | 180KGS-46000KGS                      | Certificate | ABS, LR, BV, DNV, GL, RINA, NK, KR, RS, IRS, CCS |
| Warranty      | 12 Months unless specified otherwise | Origin      | China                                            |

CONTENTS

- China Japan Stockless Anchor:
  - Japan Stockless Anchor Photo
- Japan Stockless Anchor Specification:
  - Japan Stockless Anchor Shipment

China Japan Stockless Anchor:

Japan Stockless Anchors are also one types of stockless anchor, anchor flukes dig into the seabed, holding power to weight is from 2.5 to 4, drop anchor and weigh anchor is very convenient, so it is commonly used as Bow Anchor for commercial vessel.

All JIS Stockless anchors could be supplied with LR, ABS, BV, GL, DNV, KR, NK, IRS and CCS Certificate, please intimate when you inquiry.


We can delivery at everywhere all around the world.

## Japan Stockless Anchor Specification:

Material: Casting Steel

Weight: 180KGS-46000KGS

Class Certificate: ABS, LR, BV, DNV, GL, NK, KR, IRS and CCS



| Weight/Mass<br>(KG) | Size(mm) |     |      |     |     |     |
|---------------------|----------|-----|------|-----|-----|-----|
|                     | L        | L1  | L2   | H   | H1  | H2  |
| 180KGS              | 650      | 459 | 910  | 111 | 480 | 280 |
| 240KGS              | 720      | 510 | 1010 | 122 | 530 | 310 |
| 300KGS              | 770      | 540 | 1080 | 131 | 570 | 331 |
| 360KGS              | 820      | 580 | 1150 | 139 | 610 | 353 |
| 420KGS              | 860      | 610 | 1200 | 146 | 640 | 370 |
| 480KGS              | 900      | 640 | 1260 | 153 | 670 | 387 |
| 570KGS              | 950      | 670 | 1330 | 162 | 700 | 408 |
| 660KGS              | 1000     | 710 | 1440 | 170 | 740 | 430 |
| 780KGS              | 1060     | 750 | 180  | 180 | 780 | 456 |
| 900KGS              | 1110     | 780 | 1550 | 189 | 820 | 477 |
| 1020KGS             | 1160     | 820 | 1620 | 197 | 860 | 500 |
| 1140KGS             | 1200     | 850 | 1680 | 204 | 890 | 520 |
| 1290KGS             | 1250     | 880 | 1750 | 212 | 920 | 540 |
| 1440KGS             | 1300     | 920 | 1820 | 221 | 960 | 560 |
| 1590KGS             | 1340     | 950 | 1880 | 228 | 990 | 580 |

|          |      |      |      |     |       |      |
|----------|------|------|------|-----|-------|------|
| 1740KGS  | 1380 | 980  | 1930 | 235 | 1020  | 600  |
| 1920KGS  | 1430 | 1010 | 2000 | 243 | 1060  | 620  |
| 2100KGS  | 1470 | 1040 | 2060 | 250 | 1090  | 640  |
| 2280KGS  | 1510 | 1070 | 2110 | 257 | 1120  | 650  |
| 2460KGS  | 1550 | 1100 | 2170 | 264 | 1150  | 670  |
| 2640KGS  | 1590 | 1120 | 2230 | 270 | 1180  | 690  |
| 2850KGS  | 1630 | 1150 | 2280 | 277 | 1210  | 700  |
| 3060KGS  | 1670 | 1180 | 2340 | 284 | 12140 | 720  |
| 3300KGS  | 1710 | 1210 | 2390 | 291 | 1270  | 740  |
| 3540KGS  | 1750 | 1240 | 2450 | 298 | 1290  | 750  |
| 3780KGS  | 1790 | 1260 | 2510 | 304 | 1320  | 770  |
| 4050KGS  | 1830 | 1290 | 2560 | 311 | 1350  | 790  |
| 4320KGS  | 1870 | 1320 | 2620 | 318 | 1380  | 800  |
| 4590KGS  | 1910 | 1350 | 2670 | 325 | 1410  | 820  |
| 4890KGS  | 1950 | 1380 | 2730 | 332 | 1440  | 840  |
| 5250KGS  | 2000 | 1410 | 2800 | 340 | 1480  | 860  |
| 5610KGS  | 2040 | 1440 | 2860 | 347 | 1510  | 880  |
| 6000KGS  | 2090 | 1480 | 2930 | 355 | 1540  | 900  |
| 6450KGS  | 2140 | 1510 | 3000 | 364 | 1580  | 920  |
| 6900KGS  | 2190 | 1550 | 3070 | 372 | 1620  | 940  |
| 7350KGS  | 2260 | 1600 | 3140 | 380 | 1660  | 960  |
| 7800KGS  | 2280 | 1610 | 3190 | 388 | 1680  | 980  |
| 8300KGS  | 2330 | 1650 | 3260 | 396 | 1720  | 1000 |
| 8700KGS  | 2380 | 1670 | 3320 | 403 | 1750  | 1020 |
| 9300KGS  | 2420 | 1710 | 3390 | 411 | 1790  | 1040 |
| 9900KGS  | 2470 | 1740 | 3460 | 420 | 1820  | 1060 |
| 10500KGS | 2540 | 1800 | 3530 | 430 | 1880  | 1090 |
| 11100KGS | 2540 | 1800 | 3600 | 430 | 1880  | 1090 |
| 11700KGS | 2630 | 1855 | 3650 | 445 | 1945  | 1130 |
| 12300KGS | 2630 | 1855 | 3710 | 445 | 1945  | 1130 |
| 12900KGS | 2670 | 1885 | 3770 | 453 | 1975  | 1170 |
| 13500KGS | 2670 | 1885 | 3840 | 453 | 1975  | 1170 |
| 14100KGS | 2780 | 1960 | 3890 | 473 | 2050  | 1200 |

|          |      |      |      |     |      |      |
|----------|------|------|------|-----|------|------|
| 14700KGS | 2820 | 1990 | 3950 | 479 | 2080 | 1210 |
| 15400KGS | 2860 | 2020 | 4000 | 486 | 2110 | 1230 |
| 16100KGS | 2900 | 2050 | 4060 | 493 | 2140 | 1250 |
| 16900KGS | 2950 | 2080 | 4130 | 500 | 2180 | 1270 |
| 17800KGS | 3000 | 2120 | 4200 | 510 | 2210 | 1290 |
| 18800KGS | 3060 | 2160 | 4280 | 520 | 2260 | 1320 |
| 20000KGS | 3120 | 2200 | 4370 | 530 | 2300 | 1340 |
| 21500KGS | 3200 | 2260 | 4480 | 540 | 2360 | 1380 |
| 23000KGS | 3270 | 2310 | 4580 | 560 | 2140 | 1410 |
| 24500KGS | 3340 | 2360 | 4680 | 570 | 2460 | 1440 |
| 26000KGS | 3410 | 2410 | 4770 | 580 | 2520 | 1470 |
| 27500KGS | 3470 | 2450 | 4860 | 590 | 2560 | 1490 |
| 29000KGS | 3530 | 2490 | 4840 | 600 | 2610 | 1520 |
| 31000KGS | 3610 | 2550 | 5050 | 640 | 2660 | 1550 |
| 33000KGS | 3690 | 2610 | 5170 | 630 | 2720 | 1590 |
| 35500KGS | 3780 | 2670 | 5290 | 640 | 2790 | 1630 |
| 38500KGS | 3880 | 2740 | 5430 | 660 | 2860 | 1670 |
| 42000KGS | 4000 | 2820 | 5600 | 680 | 2950 | 1720 |
| 46000KGS | 4120 | 2910 | 5770 | 700 | 3040 | 1770 |

## Japan Stockless Anchor Photo



2850KGS Japan Stockless Anchor



## Japan Stockless Anchor Shipment

All anchor lashed and fixed in the container in order to avoid movement during the long journey sea shipment and protect the container.



