

CONTACT


Jason's Lifesaving Hanging Net

Jason's Lifesaving Hanging Net is fixed on the deck or pathway normally, in order to use it in several seconds. It is easy to fold and store. When use it, not easy to transformation and get stuck....

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Contact
Standard	DIN
Weight / Size	Working Range Width(mm) Length(mm) N.W.(kg) Dia(mm) G.W.kg Width(mm) 1JB...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.	

Technical Specifications			
Category	Contact	Model / SKU	Jason-s-Lifesaving-Hanging-Net
Standard	DIN	Weight / Size	Working Range Width(mm) Length(mm) N.W.(kg) Dia(mm) G.W.kg Width(mm) 1JBSTD04A 710mm Width - 0 to 1m Clear height 710 2290 18.3 37 22 42x42x80 1JBSTD04B 710mm Width - 1m to 1.5m Clear height 710 2860 22.4 39 66 1JBSTD04C 710mm Width - 1.5m to 2m Clear height 710 3430 26.3 42 31 1JBSTD04D 710mm Width - 2m to 2.5m Clear height 710 4000 31 43 36 1JBSTD04E 710mm Width - 2.5m to 3m Clear height 710 4570 35.1 46 41 1JBSTD05A 880mm Width - 0 to 1m Clear height 880 2290 22.4 37 28 42x42x100 1JBSTD05B 880mm Width - 1m to 1.5m Clear height 880 2860 27.7 39 33 1JBSTD05C 880mm Width - 1.5m to 2m Clear height 880 3430 33.1 42 39 1JBSTD05D 880mm Width - 2m to 2.5m Clear height 880 4000 38.4 43 44 1JBSTD05E 880mm Width - 2.5m to 3m Clear height 880 4570 43.3 46 49 1JBSTD06A 1050mm Width - 0 to 1m Clear height 1050 2290 26.7 37 32 42x42x120 1JBSTD06B 1050mm Width - 1m to 1.5m Clear height 2860 32.8 39 38 1JBSTD06C 1050mm Width - 1.5m to 2m Clear height 3430 39 42 44 1JBSTD06D 1050mm Width - 2m to 2.5m Clear height 4000 45.3 43 51 1JBSTD06E 1050mm Width - 2.5m to 3m Clear height 4570 51.5 46 57
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

China Jason's Lifesaving Hanging Net:

Jason's Lifesaving Hanging Net is fixed on the deck or pathway normally,in order to use it in several seconds.

It is easy to fold and store.

When use it , not easy to transformation and get stuck.

The man overboard can climb the hanging net by hand.

If there have injured rescued people,can be rescue on board easily, and won't be extruding by the hanging net.

In case of an emergency,it can allow many peoples to rescue or evacuate meanwhile.

Working Range	Width(mm)	Length(mm)	N.W.(kg)	Dia(mm)	G.W.kg	Width(mm)
1JBSTD04A 710mm Width - 0 to 1m Clear height	710	2290	18.3	37	22	42x42x80
1JBSTD04B 710mm Width - 1m to 1.5m Clear height	710	2860	22.4	39	66	
1JBSTD04C 710mm Width - 1.5m to 2m Clear height	710	3430	26.3	42	31	
1JBSTD04D 710mm Width - 2m to 2.5m Clear height	710	4000	31	43	36	
1JBSTD04E 710mm Width - 2.5m to 3m Clear height	710	4570	35.1	46	41	
1JBSTD05A 880mm Width - 0 to 1m Clear height	880	2290	22.4	37	28	42x42x100
1JBSTD05B 880mm Width - 1m to 1.5m Clear height	880	2860	27.7	39	33	
1JBSTD05C 880mm Width - 1.5m to 2m Clear height	880	3430	33.1	42	39	
1JBSTD05D 880mm Width - 2m to 2.5m Clear height	880	4000	38.4	43	44	
1JBSTD05E 880mm Width - 2.5m to 3m Clear height	880	4570	43.3	46	49	
1JBSTD06A 1050mm Width - 0 to 1m Clear height	1050	2290	26.7	37	32	42x42x120
1JBSTD06B 1050mm Width - 1m to 1.5m Clear height		2860	32.8	39	38	
1JBSTD06C 1050mm Width - 1.5m to 2m Clear height		3430	39	42	44	
1JBSTD06D 1050mm Width - 2m to 2.5m Clear height		4000	45.3	43	51	
1JBSTD06E 1050mm Width - 2.5m to 3m Clear height		4570	51.5	46	57	