

SENSOR

JBF Type Deck Valve

Product Description: It is a connection device for tanker and oil and chemical ship,which can quick connect to the measuring equipments,like oil water interface detector,hermetic sampler,oil tanker pressure gauging...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Sensor
Standard	CB
Material	Nominal diameter:DN50 Nominal pressure:0.20MPa Material of valve body:SU...
Weight / Size	Nominal diameter:DN50 Nominal pressure:0.20MPa Material of valve body:SU...
Certificate	CCS,GL,LR,BV,ABS,DNV GL,RINA,NK,KR ETC.

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Sensor	Model / SKU	JBF-Type-Deck-Valve
Standard	CB	Material	Nominal diameter:DN50 Nominal pressure:0.20MPa Material of valve body:SUS304,SUS316 Material of valve seat:PTFE Applicable medium:oil,seawater and chemicals Quick connection:1",2" quick connector Connection flange:CBM1012-81 , PN 0.5 Overall Dimension:
Weight / Size	Nominal diameter:DN50 Nominal pressure:0.20MPa Material of valve body:SUS304,SUS316 Material of valve seat:PTFE Applicable medium:oil,seawater and chemicals Quick connection:1",2" quick connector Connection flange:CBM1012-81 , PN 0.5 Overall Dimension:	Certificate	CCS,GL,LR,BV,ABS,DNV GL,RINA,NK,KR ETC.
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	■ Product Description:	■ Main Technical Specification:
	■ Overall Dimension:	

Product Description:

It is a connection device for tanker and oil and chemical ship,which can quick connect to the measuring equipments,like oil water interface detector,hermetic sampler,oil tanker pressure gauging device and sludge tape etc.Also can be used in other industrial places with similar requirements.

Main Technical Specification:

- Nominal diameter:DN50
- Nominal pressure:0.20MPa
- Material of valve body:SUS304,SUS316
- Material of valve seat:PTFE
- Applicable medium:oil,seawater and chemicals
- Quick connection:1",2" quick connector
- Connection flange:CBM1012-81 , PN 0.5

Overall Dimension:

