

MARINE TRANSFORMERS


JBK5-40 Marine Minitype Control Transformer

JBK5-40 Marine Minitype Control Transformer JBK series control transformer design refers to relevant standards like VDE0550, IEC204-1 and GB5226, applies to AC.50~60Hz frequency power. There are pres...

ISO9001 Supplier

Class Certificate

Export Supply




| Key Highlights                                                                                         |                                                                             |
|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| Category                                                                                               | Marine Transformers                                                         |
| Standard                                                                                               | ISO                                                                         |
| Weight / Size                                                                                          | JBK5-40~630 Dimensions Item Type B D E Hole Mounting hole K×J max max ma... |
| Certificate                                                                                            | CCS BV                                                                      |
| We can supply according to your requirement, drawings, class certificate needs, and delivery schedule. |                                                                             |

| Technical Specifications |                     |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------|---------------------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Category                 | Marine Transformers | Model / SKU   | JBK5-40-Marine-Minitype-Control-Transformer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Standard                 | ISO                 | Weight / Size | JBK5-40~630 Dimensions Item Type B D E Hole Mounting hole K×J max max max A C JBK5-40~63 83 80 105 56±0.4 46±2.5 4.8×9 JBK5-100 86 95 105 64±0.4 63±2.5 4.8×9 JBK5-160 98 100 118 84±0.4 71±3.0 5.8×11 JBK5-250 98 110 118 84±0.4 85±3.0 5.8×11 JBK5-400 122 110 135 90±0.4 85±3.0 5.8×9 JBK5-630 152 120 158 122±0.4 90±3.5 7×13 JBK5 II-40~800 Dimensions Item Type B D E Hole Mounting hole K×J max max max A C JBK5II-40~63 83 80 105 56±0.4 46±2.5 4.8×9 JBK5II-100 86 95 105 64±0.4 63±2.5 4.8×9 JBK5II-160 98 100 118 84±0.4 71±3.0 5.8×11 JBK5II-250 98 110 118 84±0.4 85±3.0 5.8×11 JBK5II-400 122 110 135 90±0.4 85±3.0 5.8×9 JBK5II-630 152 120 158 122±0.4 90±3.5 7×13 JBK5II-800 152 130 158 122±0.4 106±3.0 7×13 |
| Certificate              | CCS BV              | Warranty      | 12 Months unless specified otherwise                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Origin                   | China               |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

|          |                                             |                 |
|----------|---------------------------------------------|-----------------|
| CONTENTS | JBK5-40 Marine Minitype Control Transformer | Technical data: |
|----------|---------------------------------------------|-----------------|

## JBK5-40 Marine Minitype Control Transformer




JBK series control transformer design refers to relevant standards like VDE0550, IEC204-1 and GB5226, applies to AC.50~60Hz frequency power. There are press-fit and and plug-in two connection methods are adopted and equipped with terminals to prevent touching protection requirements by accident.


This product have attribute of excellent performance, safe and reliable wiring, which can be widely used in control and lighting for various industrials such as power distribution cabinet for ship, machinery, metallurgy, mine, light textile, rubber, chemical engineering, papermaking and printing, and also can be used as isolation transformer.

## Technical data:

JBK5-40~630



| Dimensions<br>Item<br>Type | B   | D   | E   | Hole    |        | Mounting hole<br>K×J |
|----------------------------|-----|-----|-----|---------|--------|----------------------|
|                            | max | max | max | A       | C      |                      |
| JBK5-40~63                 | 83  | 80  | 105 | 56±0.4  | 46±2.5 | 4.8×9                |
| JBK5-100                   | 86  | 95  | 105 | 64±0.4  | 63±2.5 | 4.8×9                |
| JBK5-160                   | 98  | 100 | 118 | 84±0.4  | 71±3.0 | 5.8×11               |
| JBK5-250                   | 98  | 110 | 118 | 84±0.4  | 85±3.0 | 5.8×11               |
| JBK5-400                   | 122 | 110 | 135 | 90±0.4  | 85±3.0 | 5.8×9                |
| JBK5-630                   | 152 | 120 | 158 | 122±0.4 | 90±3.5 | 7×13                 |



JBK5 II-40~800

| Dimensions<br>Item<br>Type | B   | D   | E   | Hole   |        | Mounting hole<br>K×J |
|----------------------------|-----|-----|-----|--------|--------|----------------------|
|                            | max | max | max | A      | C      |                      |
| JBK5II-40~63               | 83  | 80  | 105 | 56±0.4 | 46±2.5 | 4.8×9                |
| JBK5II-100                 | 86  | 95  | 105 | 64±0.4 | 63±2.5 | 4.8×9                |
| JBK5II-160                 | 98  | 100 | 118 | 84±0.4 | 71±3.0 | 5.8×11               |

|            |     |     |     |         |         |        |
|------------|-----|-----|-----|---------|---------|--------|
| JBK5II-250 | 98  | 110 | 118 | 84±0.4  | 85±3.0  | 5.8×11 |
| JBK5II-400 | 122 | 110 | 135 | 90±0.4  | 85±3.0  | 5.8×9  |
| JBK5II-630 | 152 | 120 | 158 | 122±0.4 | 90±3.5  | 7×13   |
| JBK5II-800 | 152 | 130 | 158 | 122±0.4 | 106±3.0 | 7×13   |