

STERN TUBE SEAL

JQ/CS 39 Type Stern Tube seal

Product Advantage When inland water vessels have oil as their lubricating working medium and do not have a large stern shatf,this type of apparatuses is suggested to be chosen. ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights


Category	Stern Tube Seal
Standard	EN
Weight / Size	Model D A B C E H K T N P S n F Weight (kg) Front Back 70JQ/CS39 70 176 ...
Certificate	ABS, CCS, BV,DNV,CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Stern Tube Seal	Model / SKU	JQ-CS-39-Type-Stern-Tube-seal
Standard	EN	Weight / Size	Model D A B C E H K T N P S n F Weight (kg) Front Back 70JQ/CS39 70 176 150 122 110 17.5 144 116 90 130 145 6 80 9 10.5 80JQ/CS39 80 185 160 132 120 17.5 146 126 100 140 155 6 90 10.2 11.8 90JQ/CS39 90 195 170 142 130 17.5 148 136 110 150 165 8 100 11.5 13.5 100JQ/CS39 100 205 180 152 140 175 150 146 120 160 175 8 110 13 16 110JQ/CS39 110 220 190 162 150 17.5 150 156 130 170 185 8 120 15 19 120JQ/CS39 120 235 200 172 160 20 152 166 145 180 195 8 130 17.8 22.5
Certificate	ABS, CCS, BV,DNV,CCS	Warranty	12 Months unless specified otherwise
Origin	China		

Product Advantage

When inland water vessels have oil as their lubricating working medium and do not have a large stern shaft,this type of apparatuses is suggested to be chosen.



Model	D	A	B	C	E	H	K	T	N	P	S	n	F	Weight (kg)	
														Front	Back
70JQ/CS39	70	176	150	122	110	17.5	144	116	90	130	145	6	80	9	10.5
80JQ/CS39	80	185	160	132	120	17.5	146	126	100	140	155	6	90	10.2	11.8
90JQ/CS39	90	195	170	142	130	17.5	148	136	110	150	165	8	100	11.5	13.5

100JQ/CS39	100	205	180	152	140	175	150	146	120	160	175	8	110	13	16
110JQ/CS39	110	220	190	162	150	17.5	150	156	130	170	185	8	120	15	19
120JQ/CS39	120	235	200	172	160	20	152	166	145	180	195	8	130	17.8	22.5