

MARINE KITCHEN GALLEY

JZFXJ15-00 Marine Sewage Crusher With Pool

- ISO9001 Supplier
- Class Certificate
- Export Supply

JZFXJ15-00 Marine Sewage Crusher With Pool 1. Stainless steel structure and body 2. Large diameter sewage outlet 3. With control box, easy to operate 4. With forward and reverse function 5. Wet grinding method ...



Key Highlights	
Category	Marine Kitchen Galley
Standard	DIN
Material	SS
Weight / Size	The weight has been given before JZFXJ15-00 Marine Sewage Crusher With P...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.	


Technical Specifications			
Category	Marine Kitchen Galley	Model / SKU	JZFXJ15-00-Marine-Sewage-Crusher-With-Pool
Standard	DIN	Material	SS
Weight / Size	The weight has been given before JZFXJ15-00 Marine Sewage Crusher With Pool Drawing JZFXJ15-00 Marine Sewage Crusher With Pool Parameters Model LC5-13 SS100-35 SS200-39 510A 515A JZFXJ15-00 Crushing Amount 150kg/h 300kg/h 400kg/h 300kg/h 400kg/h 1-15kg/min Voltage 0.45 0.75 1.5 0.75 1.1 1.5 Power(kw) 220v-1PH-50Hz/60Hz 380/415V-3PH-50Hz 380/415V-3PH-50Hz 440/480v 3ph-60Hz Size(mm) φ204x362 320x240x432 370X300X468 φ253x427 φ253x427 420x403x855 Weight(kg) 16 23 50 26 29 100	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	■ JZFXJ15-00 Marine Sewage Crusher With Pool	■ JZFXJ15-00 Marine Sewage Crusher With Pool Drawing
	■ JZFXJ15-00 Marine Sewage Crusher With Pool Parameters	

JZFXJ15-00 Marine Sewage Crusher With Pool

1. Stainless steel structure and body
2. Large diameter sewage outlet
3. With control box, easy to operate
4. With forward and reverse function
5. Wet grinding method to treat food residues
6. Motor overload protection, safe and convenient
7. The weight has been given before

JZFXJ15-00 Marine Sewage Crusher With Pool Drawing



JZFXJ15-00 Marine Sewage Crusher With Pool Parameters

Model	LC5-13	SS100-35	SS200-39	510A	515A	JZFXJ15-00
Crushing Amount	150kg/h	300kg/h	400kg/h	300kg/h	400kg/h	1-15kg/min
Voltage	0.45	0.75	1.5	0.75	1.1	1.5
Power(kw)	220v-1PH-50Hz/60Hz		380/415V-3PH-50Hz	380/415V-3PH-50Hz 440/480v 3ph-60Hz		
Size(mm)	φ204x362	320x240x432	370X300X468	φ253x427	φ253x427	420x403x855
Weight(kg)	16	23	50	26	29	100