CHAIN SLING

Large Diameter Cable-laid Slings

Nominal dia.(d)(mm) Main rope dia(mm) Core rope dia(mm) Breaking load Workong load limit Approx.weight (kg/m) (kN) (t) (kN) (t) 15.62 70 22 26 1460 149 304 31 18.54 76 24 28 1736 177 ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights


Category	Chain Sling
Material	Galvanized Steel Wire Rope
Weight / Size	Nominal dia.(d)(mm) Main rope dia(mm) Core rope dia(mm) Breaking load Wo...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Chain Sling	**Model / SKU**	Large-Diameter-Cable-laid-Slings
Material	Galvanized Steel Wire Rope	**Weight / Size**	Nominal dia.(d)(mm) Main rope dia(mm) Core rope dia(mm) Breaking load Workong load limit Approx.weight (kg/m) (kN) (t) (kN) (t) 15.62 70 22 26 1460 149 304 31 18.54 76 24 28 1736 177 373 38 21.67 82 26 30 2039 208 451 46 25.61 90 28 34 2363 240 539 55 29.24 96 30 36 2713 277 647 66 33.15 102 32 38 3089 315 756 77 37.28 108 34 40 3486 355 882 90 41.69 114 36 42 3905 398 1022 104 46.32 120 38 44 4363 445 1182 120 51.18 126 40 46 4838 493 1360 139 56.27 132 42 48 5314 542 1551 158 67.24 144 46 52 6394 652 2022 206 73.13 150 48 54 6955 709 2295 234 78.9 156 50 56 7517 767 2506 256 85.59 162 52 58 8165 833 2722 278 92.17 168 54 60 8770 894 2923 298 98.96 174 56 62 9461 965 3154 322 106.28 180 58 64 10152 1035 3384 345 121.12 192 62 68 11578 1181 3859 394 136.79 204 66 72 13133 1339 4378 446 149 216 68 80 13954 1432 4651 474 171.59 228 74 80 16502 1683 5500 560 184.97 240 76 88 17410 1775 5803 592 205.03 252 80 92 19310 1969 6437 656 225.03 264 84 96 21254 2167 7085 722 225.2 278 88 100 23328 2379 7776 793 246.83 288 90 108 24408 2489 8136 830 265.53 300 98 108 26525 2705 8842 902 294.38 312 100 112 28771 2934 9591 978 319.14 336 108 120 32616 3326 10866 1108 383.31 360 116 128 37627 3837 12542 1280 441.3 384 124 136 42984 4383 14328 1460 503.59 408 130 148 47088 4802 15696 1600 560.43 432 138 156 53136 5418 17712 1808 629.93 456 146 164 56592 5771 18864 1924 705.58

Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	**Warranty**	12 Months unless specified otherwise
Origin	China		

China Large Diameter Cable-laid Slings:



Nominal dia. (d)(mm)	Main rope dia (mm)	Core rope dia (mm)	Breaking load		Workong load limit		Approx.weight (kg/m)
			(kN)	(t)	(kN)	(t)	15.62
70	22	26	1460	149	304	31	18.54
76	24	28	1736	177	373	38	21.67
82	26	30	2039	208	451	46	25.61
90	28	34	2363	240	539	55	29.24
96	30	36	2713	277	647	66	33.15
102	32	38	3089	315	756	77	37.28
108	34	40	3486	355	882	90	41.69
114	36	42	3905	398	1022	104	46.32
120	38	44	4363	445	1182	120	51.18
126	40	46	4838	493	1360	139	56.27
132	42	48	5314	542	1551	158	67.24
144	46	52	6394	652	2022	206	73.13
150	48	54	6955	709	2295	234	78.9
156	50	56	7517	767	2506	256	85.59
162	52	58	8165	833	2722	278	92.17
168	54	60	8770	894	2923	298	98.96
174	56	62	9461	965	3154	322	106.28
180	58	64	10152	1035	3384	345	121.12
192	62	68	11578	1181	3859	394	136.79
204	66	72	13133	1339	4378	446	149
216	68	80	13954	1432	4651	474	171.59
228	74	80	16502	1683	5500	560	184.97

240	76	88	17410	1775	5803	592	205.03
252	80	92	19310	1969	6437	656	225.03
264	84	96	21254	2167	7085	722	225.2
278	88	100	23328	2379	7776	793	246.83
288	90	108	24408	2489	8136	830	265.53
300	98	108	26525	2705	8842	902	294.38
312	100	112	28771	2934	9591	978	319.14
336	108	120	32616	3326	10866	1108	383.31
360	116	128	37627	3837	12542	1280	441.3
384	124	136	42984	4383	14328	1460	503.59
408	130	148	47088	4802	15696	1600	560.43
432	138	156	53136	5418	17712	1808	629.93
456	146	164	56592	5771	18864	1924	705.58