

MARINE LED LIGHT

LED Portable Light

Application Applied to bedside illumination of residential cabin in military ship and ship, recessed mounting type. Product Feature 1. Light body is polycarbonate material. 2. ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine LED Light
Standard	GB
Material	Product Feature 1. Light body is polycarbonate material.
Weight / Size	2.GB7000.1-2015 , Luminaires –Part1:General requirements and tests Speci...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine LED Light	Model / SKU	LED-Portable-Light
Standard	GB	Material	Product Feature 1. Light body is polycarbonate material.
Weight / Size	2.GB7000.1-2015 , Luminaires –Part1:General requirements and tests Specification Type Voltage Power Lamp Holder CT Protection Class Weight CGD2QL 24-240V <=10W E27 3000-6500K IP56 1.8kg CGD3QL 24-240V <=10W E27 3000-6500K IP56 1.8kg CGD2 24/220V <=60W E27/B15d 3000K IP56 0.9kg CGD3 24/220V <=60W E27/B15d 3000K IP56 0.7kg JS30 220V 100/200/300W R7s 3000K IP56 2.6kg	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

China LED Portable Light:

Application

Applied to bedside illumination of residential cabin in military ship and ship, recessed mounting type.

Product Feature

1. Light body is polycarbonate material.
2. LED Light Source, light soft, no glare, supper high uniformity and visual comfort, color>=80%, light rate>70%, life time 30000h,energy saving 50%, new green environmental product, easy installation, general G12 lamp holder.

Environment temperature I s -20-45degree within the scope of work

3. Protection class is IP22.

Standards

1. Chapter 3, Part 4 of Classification Society Rules for Classification of Sea-going Steel Ships 2015 and its Amendments;
- 2.GB7000.1-2015 , Luminaires –Part1:General requirements and tests

Specification



Type	Voltage	Power	Lamp Holder	CT	Protection Class	Weight
CGD2QL	24-240V	<=10W	E27	3000-6500K	IP56	1.8kg
CGD3QL	24-240V	<=10W	E27	3000-6500K	IP56	1.8kg
CGD2	24/220V	<=60W	E27/B15d	3000K	IP56	0.9kg
CGD3	24/220V	<=60W	E27/B15d	3000K	IP56	0.7kg
JS30	220V	100/200/300W	R7s	3000K	IP56	2.6kg