

SHIPBUILDING STEEL

LRA Shipbuilding Bulb Flat

Grade: A AH32 AH36 Certificate: LR, ABS, DNV, GL, BV, KR,NK and CCS Bulb Flat Steel Specification Size(mm) b h ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Shipbuilding Steel
Standard	DIN
Material	A,AH32, AH36,
Weight / Size	LR, ABS, DNV, GL, BV, KR,NK and CCS Bulb Flat Steel Specification Size(m...
Certificate	CCS, ABS, GL, LR, DNV, BV, RINA, NK and KR

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Shipbuilding Steel	Model / SKU	LRA-Shipbuilding-Bulb-Flat
Standard	DIN	Material	A,AH32, AH36,
Weight / Size	LR, ABS, DNV, GL, BV, KR,NK and CCS Bulb Flat Steel Specification Size(mm) b h t Theoretical weight (kg/m) 80*5 80 19 5 4.25 100*6 100 21.5 6 6.08 100*7 100 22.5 7 6.86 120*6 120 23 6 7.32 140*7 140 26 7 9.75 140*8 140 27 8 10.85 160*7 160 29 7 11.46 180*8 180 33 8 14.8 200*9 200 37 9 18.57 200*10 200 38 10 20.14 220*10 220 41 10 22.77 220*11 220 42 11 24.5 240*10 240 44 10 25.5 240*11 240 45 11 27.39 260*10 260 47 10 28.35 280*11 280 51 11 33.5 280*12 280 52 12 35.7 300*11 300 54 11 36.7 320*12 320 58 12 42.6 320*13 320 59 13 45.09 340*13 340 62 13 48.86 370*13 370 66.5 13 54.7 370*14 370 67.5 14 57.6 400*14 400 72 14 63.9 400*15 400 73 15 67.1 430*19 430 81.5 19 87.4 430*20 430 82.5 20 90.8	Certificate	CCS, ABS, GL, LR, DNV, BV, RINA, NK and KR
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	China LRA Shipbuilding Bulb Flat: Bulb Flat Steel Specification
----------	---

China LRA Shipbuilding Bulb Flat:

Grade: A AH32 AH36

Certificate: LR, ABS, DNV, GL, BV, KR,NK and CCS

Bulb Flat Steel Specification



Size(mm)	b	h	t	Theoretical weight (kg/m)
80*5	80	19	5	4.25
100*6	100	21.5	6	6.08
100*7	100	22.5	7	6.86
120*6	120	23	6	7.32
140*7	140	26	7	9.75
140*8	140	27	8	10.85
160*7	160	29	7	11.46
180*8	180	33	8	14.8
200*9	200	37	9	18.57
200*10	200	38	10	20.14
220*10	220	41	10	22.77
220*11	220	42	11	24.5
240*10	240	44	10	25.5
240*11	240	45	11	27.39
260*10	260	47	10	28.35
280*11	280	51	11	33.5
280*12	280	52	12	35.7
300*11	300	54	11	36.7
320*12	320	58	12	42.6
320*13	320	59	13	45.09
340*13	340	62	13	48.86
370*13	370	66.5	13	54.7
370*14	370	67.5	14	57.6
400*14	400	72	14	63.9
400*15	400	73	15	67.1
430*19	430	81.5	19	87.4
430*20	430	82.5	20	90.8