

MARINE HOIST

ISO9001 Supplier

Magnetic Lifter Model No. Rated
Lifting Capacity MAX Breaka...

Class Certificate

Export Supply




Key Highlights

Category	Marine Hoist
Standard	EN
Weight / Size	Rated Lifting Capacity MAX Breakaway Force Max O...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Hoist	Model / SKU	Magnetic-Lifter
Standard	EN	Weight / Size	Rated Lifting Capacity MAX Breakaway Force Max Operating Temp
			Dimensions(mm) Net Weight Minimum PlateThicknessRequires (Kg) (Kg) (°C) L B H R (Kg) (mm) FG-1 100 300 80 95 65 75 145 3 >4 FG-2 200 200 80 163 91 90 160 9 >6 FG-3 300 900 80 162 92 91 180 9 >8 FG-5 500 1500 80 233 122 118 220 23 >12 FG-6 600 1800 80 233 120 120 220 23 >15 FG-10 1000 3000 80 260 175 165 285 50 >25 FG-20 2000 6000 80 386 233 202 465 125 >40 FG-30 3000 9000 80 443 226 217 565 225 >60 FG-50 5000 10500 80 443 226 217 635 250 >60
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		



Model No.	Rated Lifting Capacity	MAX Breakaway Force	Max Operating Temp	Dimensions(m)				Net Weight	Minimum Plate Thickness Requires
(Kg)	(Kg)	(°C)	L	B	H	R	(Kg)	(mm)	
FG-1	100	300	80	95	65	75	145	3	>4
FG-2	200	200	80	163	91	90	160	9	>6
FG-3	300	900	80	162	92	91	180	9	>8
FG-5	500	1500	80	233	122	128	220	23	>12
FG-6	600	1800	80	233	120	120	220	23	>15
FG-10	1000	3000	80	260	175	165	285	50	>25
FG-20	2000	6000	80	386	233	202	465	125	>40
FG-30	3000	9000	80	443	226	217	565	225	>60
FG-50	5000	10500	80	443	226	217	635	250	>60