

MARINE WINDOW

Marine Aluminum Fixed Window

Standard: CB/T3226-1995 It is installed in the wheel houses, bridges, enclosed spaces which is used for observation and operation of various types of ships and marine structures. The shape can be rectangular,...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Window
Standard	ISO
Material	Aluminum Alloy
Weight / Size	BH-Bolted fixed rectangular window with an electric heated glass pane BN...
Certificate	CCS, BV, ABS, GL, LR, DNV, NK,RINA, KR,IRS


We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Window	Model / SKU	Marine-Aluminum-Fixed-Window
Standard	ISO	Material	Aluminum Alloy
Weight / Size	BH-Bolted fixed rectangular window with an electric heated glass pane BN-Bolted fixed rectangular window with a toughened glass pane Main Size List(mm) Nominal Size Frame Size of opening Glass Thickness Weight (kgs) WXH W1XH1 W2XH2 W3XH3 r BH BN BH BN 800X630 848X678 930X760 852x682 126 12 15 25.5 25.9 800X710 848X758 930X840 852x762 12 15 28.1 28.7 900X630 948X678 1030X760 952x682 12 17 28.2 30 900X710 948X758 1030X840 952x762 12 17 30.9 32.9 900X800 948X848 1030X930 952x852 12 17 33.9 36.1 1200X630 1248X378 1330X760 1252x682 15 20 41.6 44 1200X710 1248X758 1330X840 1252x762 15 20 45.9 48.6 1200X800 1248X848 1330X930 1252x852 15 20 50.6 53.6 1500X710 1548X758 1630X840 1552x762 15 20 56.1 59.4 1500X800 1548X848 1630X930 1552x852 15 20 61.2 64.9 1800X710 1848X758 1930X840 1852x762 15 20 66.3 70.3 1800X800 1848X848 1930X930 1852x852 15 20 72.4 76.8 1800X900 1848X948 1930X1030 1852x952 15 20 77.5 82.5 *The size is in the list is just for reference, it is can be customerized according to the actual situation of the vessel.	Certificate	CCS, BV, ABS, GL, LR, DNV, NK,RINA, KR,IRS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- China Marine Aluminum Fixed Window:
 - Main Size List(mm)
- Types of non-opening windows:
 - Mounting of the heated glass pane for fixed rectangular window for wheel house should conform to the requirements of ISO3434, power loading and parameters necessary for the glass pane as below.

China Marine Aluminum Fixed Window:



Standard: CB/T3226-1995

It is installed in the wheel houses, bridges, enclosed spaces which is used for observation and operation of various types of ships and marine structures.

The shape can be rectangular, parallelogram or trapezoidal .

Types of non-opening windows:

BH-Bolted fixed rectangular window with an electric heated glass pane

BN-Bolted fixed rectangular window with a toughened glass pane

Main Size List(mm)

Nominal Size	Frame		Size of opening		Glass Thickness		Weight (kgs)	
WXH	W1XH1	W2XH2	W3XH3	r	BH	BN	BH	BN

