

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

JIS MARINE GLOBE VALVE

Marine Bronze Globe Valve JIS F7301 5K

ISO9001 Supplier

Class Certificate

Export Supply

Marine Bronze Globe Valve or Marine Brass Globe Valve can be called as Marine Bronze/Brass Stop Valve. Function: Open/Close the pipe system Design Standard: JIS F7301-1996 Test Standard: JIS F7400-1996 ...



Key Highlights

Category	JIS Marine Globe Valve
Standard	JIS
Material	Bronze
Weight / Size	Body-1.05Mpa, Seat-0.77Mpa Flange Size as per JIS B2220-5K *DN15-DN40 wi...
Certificate	CCS,DNV,GL, LR, ABS, BV, NK,KR,RINA

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	JIS Marine Globe Valve	Model / SKU	Marine-Bronze-Globe-Valve-JIS-F7301-5K
Standard	JIS	Material	Bronze
Weight / Size	Body-1.05Mpa, Seat-0.77Mpa Flange Size as per JIS B2220-5K *DN15-DN40 with screwed bonnet, DN50-DN65 with bolted bonnet Main Material:	Certificate	CCS,DNV,GL, LR, ABS, BV, NK,KR,RINA
Warranty	12 Months unless specified otherwise	Origin	China


CONTENTS

- China Marine Bronze Globe Valve JIS F7301 5K:
- Main Material:
- Main Size List(mm):



0.039198s

China Marine Bronze Globe Valve JIS F7301 5K:



Marine Bronze Globe Valve or Marine Brass Globe Valve can be called as Marine Bronze/Brass Stop Valve.

Function: Open/Close the pipe system

Design Standard: JIS F7301-1996

Test Standard: JIS F7400-1996

Test Pressure: Body-1.05Mpa, Seat-0.77Mpa

Flange Size as per JIS B2220-5K

*DN15-DN40 with screwed bonnet, DN50-DN65 with bolted bonnet

Main Material:

1-Body: Bronze (BC6)/ Brass

2-Disc: Bronze (BC6) / Brass

3-Stem: Brass (C3771BD)

4-Bonnet: Bronze (BC6) /Brass

5-Handwheel: Cast Iron (FC200)

Main Size List(mm):

IMPA Code	Size	Face to Face (L)	Flange diam. (D)	Pitch (C)	No of Bolt Hole	h	t	H	D2
750121	15	100	80	60	4	12	9	130	80
750122	20	110	85	65	4	12	10	140	100
750123	25	120	95	75	4	12	10	160	125
750124	32	140	115	90	4	15	12	170	125
750125	40	160	120	95	4	15	12	190	140
750126	50	210	130	105	4	15	14	235	140

750127	65	250	155	130	4	15	14	260	160
--------	----	-----	-----	-----	---	----	----	-----	-----