

GB MARINE GLOBE VALVE

# Marine Cast Steel Angle Globe Valve GB/T584-2008 Type B/BS

Design Standard:GB/T584-2008, CBM1048-81, CBM1051-81, CBM1057-81 Test Standard: GB600 Flange size as per GB569,GB2501 \*Marine Angle Globe Valve also can be called Marine Angle Stop Valve. ...

- ISO9001 Supplier
- Class Certificate
- Export Supply



### Key Highlights

Category	GB Marine Globe Valve
Standard	GB
Material	Cast Steel
Weight / Size	GB600 Flange size as per GB569,GB2501 *Marine Angle Globe Valve also can...
Certificate	CCS, BV, ABS, GL, LR, DNV, NK,RINA, KR,IRS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

### Technical Specifications

Category	GB Marine Globe Valve	Model / SKU	Marine-Cast-Steel-Angle-Globe-Valve-GB-T584-2008-Type-B-BS
Standard	GB	Material	Cast Steel
Weight / Size	GB600 Flange size as per GB569,GB2501 *Marine Angle Globe Valve also can be called Marine Angle Stop Valve.	Certificate	CCS, BV, ABS, GL, LR, DNV, NK,RINA, KR,IRS
Warranty	12 Months unless specified otherwise	Origin	China

<p><b>CONTENTS</b></p> <ul style="list-style-type: none"> <li>■ China Marine Cast Steel Angle Globe Valve GB/T584-2008 Type B/BS:</li> <li>■ Main Size List(mm):</li> </ul>	<ul style="list-style-type: none"> <li>■ Main Material:</li> <li>■ PN (MPa) DN (mm) Structure Dimension Thickness δ Flange Bolt Hand wheel Lift Range m Weight(kg) L H≈ H1 A B A B B D D1 D2 d0 b n Th. Do S A B 1.0 65 290 115 310 277 115 6 155 123 104 15 14 6 M14 140 12 18 14.9 12.9 80 310 125 345 304 125 7 170 138 118 15 14 8 M14 160 14 24 19.0 17.9 100 350 150 374 325 135 8 190 158 138 15 14 8 M14 180 14 35 28.6 24.0 125 400 175 426 366 155 8 215 183 164 15 14 10 M14 200 17 44 38.2 33.7 150 500 180 487 415 160 9 240 208 190 15 14 12 M14 200 17 57 51.3 41.9 1.6 125 400 175 465 405 155 8 225 187 168 17 15 10 M16 250 22 44 45.4 38.9 150 500 180 524 452 160 9 255 217 196 17 15 12 M16 280 24 57 58.9 51.7 2.5 20 150 75 217 203 75 6 95 68 48 13 11 4 M12 80 8 7 4.5 4.4 25 160 80 217 203 80 6 105 73 56 13 12 4 M12 80 8 7 5.1 5.0 32 180 85 236 216 85 6 115 83 64 15 13 6 M14 100 9 9 6.9 6.1 40 200 90 260 236 90 7 125 93 74 15 13 6 M14 120 11 11 9.2 7.2 50 230 95 288 258 95 7 135 103 84 15 13 6 M14 140 12 14 12.9 12.7 65 290 115 335 301 115 7 170 132 110 17 15 8 M16 160 14 18 18.8 18.9 80 310 125 362 321 125 7 185 147 126 17 16 8 M16 200 17 24 24.8 22.7 100 350 150 417 368 135 8 205 167 146 17 16 10 M16 250 22 35 34.9 31.3 125 400 175 481 432 155 9 240 196 172 21 19 10 M20 280 24 44 52.2 47.9 150 500 200 537 484 175 9 270 226 200 21 20 12 M20 320 27 57 68.5 60.3 PN (MPa) DN (mm) Structure Dimension Thickness δ Flange Bolt Hand wheel Lift Range Weight(kg) L H≈ H1 A B A B B D D1 D2 D3 D4 f d0 b n Th. D0 S m A B 4.0 65 290 145 409 374 145 8 175 137 118 110 94 3 17 18 8 M16 250 22 17 35.2 32.9 80 310 155 436 394 155 9 190 152 130 121 105 3 17 18 8 M16 250 22 20 39.1 36.7 100 350 175 466 416 175 9 225 181 157 150 128 4 21 21 10 M20 280 24 25 53.3 44.7 6.4 20 230 115 261 243 115 7 105 73 58 51 35 3 13 13 6 M12 100 9 7 7.7 6.5 25 230 115 272 253 115 7 1 15 83 66 58 42 3 15 15 6 M14 100 9 7 8.7 7.6 32 260 130 304 281 130 7 125 93 74 66 50 3 15 17 6 M14 120 11 9 10.3 9.3 40 260 130 334 310 130 7 145 107 84 76 60 3 17 19 6 M16 160 14 11 17.7 16.4 50 300 150 354 323 150 8 155 117 96 88 72 3 17 20 6 M16 180 14 13 22.3 20.5</li> </ul>
---	---



1 6	1 5	4 0	1 7	4 6	4 0	1 5	8	2 2	1 8	1 6	1 7	1 5	1 0	M 1	2 5	2 2	4 4	4 5	3 8
2 5	2 0	1 5	7 5	2 1	2 0	7 5	6	9 5	6 8	4 8	1 3	1 1	4 2	M 1	8 0	8 7	4 7	4 5	4 4
3 2	3 8	1 8	2 3	2 6	8 3	6 5	1 5	1 1	8 3	6 4	1 5	1 3	6 2	M 1	1 0	9 9	6 6	6 9	6 1
4 0	2 0	9 0	2 0	2 6	9 0	7 5	1 7	9 3	7 4	1 5	1 3	6 6	M 1	1 4	1 1	1 1	1 1	9 7	7 2
5 0	2 3	9 5	2 8	2 8	9 5	7 5	1 7	1 3	8 4	8 5	1 5	1 3	6 4	M 1	1 4	1 2	1 4	1 2	1 1
6 5	2 9	1 3	3 0	3 1	1 5	7 5	1 7	1 3	1 7	1 0	1 7	1 5	8 6	M 1	1 6	1 4	1 8	1 8	8 9
8 0	3 1	1 2	3 6	3 2	1 5	7 5	1 7	1 8	1 7	1 6	1 6	1 8	8 6	M 1	2 0	1 7	2 4	2 2	2 2
1 0	3 5	1 7	4 6	4 6	1 5	9 5	6	1 1	8 3	6 4	1 5	1 3	6 2	M 1	1 4	2 2	1 1	1 1	1 1
1 0	5 5	1 6	4 3	3 3	1 5	8 5	2 2	1 6	1 4	1 7	1 6	1 0	M 1	2 5	2 5	3 5	3 4	3 1	3 3
1 2	4 7	1 8	4 3	4 5	1 5	9 5	2 4	1 9	1 7	2 1	1 9	1 0	M 2	2 8	2 4	4 4	5 2	4 2	4 9
1 5	5 0	2 3	5 8	4 7	1 5	9 5	2 7	2 2	2 0	2 0	2 1	2 0	M 2	3 2	2 7	5 7	6 8	6 0	6 3

4 0	6 5	2 9	1 4	4 0	3 7	1 4	8	1 7	1 3	1 1	1 1	1 4	9 4	3	1 7	1 8	8	M 1	2 5	2 2	1 7	3 5	3 2
8 0	3 1	1 5	4 6	3 6	1 4	9 5	9	1 9	1 5	1 3	1 2	1 1	1 0	3	1 7	1 8	8	M 1	2 5	2 2	2 0	3 9	3 6
1 0	3 5	1 7	4 6	4 6	1 5	9 5	9	2 2	1 8	1 5	1 5	1 2	1 8	4	2 1	2 1	1 0	M 2	2 8	2 4	2 5	5 3	4 4
6 4	2 3	1 5	2 6	2 4	1 3	7 5	7	1 0	7 3	5 8	5 1	3 5	3 3	1 3	1 3	6	M 1	1 0	9 7	7 7	6 7	6 5	6 5
2 5	2 3	1 5	2 7	2 3	1 4	7 5	7	1 1	8 3	6 6	5 8	4 2	3 3	1 5	1 5	6	M 1	1 4	9 7	8 7	7 6	7 6	7 6
3 2	2 6	1 3	3 0	2 8	1 4	7 5	7	1 2	9 3	7 4	6 6	5 0	3 3	1 5	1 7	6	M 1	1 4	1 2	1 1	9 1	1 0	9 3
4 0	2 6	1 3	3 4	3 1	1 3	7 5	7	1 4	1 0	8 4	7 6	6 0	3	1 7	1 9	6	M 1	1 6	1 4	1 1	1 1	1 7	1 6
5 0	3 0	1 5	3 5	3 2	1 5	8 5	8	1 5	1 7	9 6	8 8	7 2	3	1 7	2 0	6	M 1	1 8	1 4	1 3	2 2	2 0	2 5

