

## JIS MARINE GLOBE VALVE

## Marine Cast Steel Screw Down Check Angle Valve JIS F7472 10K

Marine Cast Steel Screw Down Check Angle Valve also can be called as Marine Cast Steel Angle SDNR Valve or SDNR Angle Valve. It is suitable for the pipe system with the medium fresh water, air & other gas, oil and st...

ISO9001 Supplier

Class Certificate

Export Supply



### Key Highlights

Category	JIS Marine Globe Valve
Standard	JIS
Material	Cast Steel
Weight / Size	Body-2.1Mpa, Seat-1.54Mpa~0.4Mpa Flange size as per JIS B2220 -10K * The...
Certificate	CCS,BV,GL,NK,RINA,ABS,DN V,LR

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.


### Technical Specifications

Category	JIS Marine Globe Valve	Model / SKU	Marine-Cast-Steel-Screw-Down-Check-Angle-Valve-JIS-F7472-10K
Standard	JIS	Material	Cast Steel
Weight / Size	Body-2.1Mpa, Seat-1.54Mpa~0.4Mpa Flange size as per JIS B2220 -10K * The standard one is without indicator, if the customer needs the indicator for the SDNR Valve, pls state when inquiry or order.	Certificate	CCS,BV,GL,NK,RINA,ABS,DNV,LR
Warranty	12 Months unless specified otherwise	Origin	China

**CONTENTS**

- China Marine Cast Steel Screw Down Check Angle Valve JIS F7472 10K:
- Main Material:
- Main Size List(mm):

## China Marine Cast Steel Screw Down Check Angle Valve JIS F7472 10K:



Marine Cast Steel Screw Down Check Angle Valve also can be called as Marine Cast Steel Angle SDNR Valve or SDNR Angle Valve. It is suitable for the pipe system with the medium fresh water, air & other gas, oil and steam with the temperature not over 300 centigrade degree.

Design Standard: JIS F7472-1996

Test Standard: JIS 7400-1996

Hydraulic Test Pressure: Body-2.1Mpa, Seat-1.54Mpa~0.4Mpa

Flange size as per JIS B2220 -10K

\* The standard one is without indicator, if the customer needs the indicator for the SDNR Valve, pls state when inquiry or order.

### Main Material:

Body: Cast Steel (SC480)

Bonnet: Cast Steel (SC480)

Packing Gland: Bronze (BC6) or Stainless Steel (2Cr13)

Stem: C3771BD (Brass) or SUS403

Seat: Bronze (BC6) or Stainless Steel (2Cr13, SCS2)

Disc: Bronze (BC6) or Stainless Steel (2Cr13, SCS2)

Gasket: non-asbestos

Handwheel: Cast Iron (FC200)

### Main Size List(mm):

IMPA CODE	DN	L1	D	C	No of bolt hole	h	t	H	D2	0.065329s

751216	50	120	155	120	4	19	16	240	160	16.3
751217	65	130	175	140	4	19	18	260	200	8
751218	80	140	185	150	8	19	18	265	200	25.3
751219	100	160	210	175	8	19	18	300	250	37
751220	125	180	250	210	8	23	20	350	280	56.6
751221	150	205	280	240	8	23	22	400	315	77.1
751222	200	230	330	290	12	23	22	480	355	116
751223	250	290	400	355	12	25	24	535	400	188
751224	300	320	445	400	16	25	24	610	450	256