

STERN TUBE BEARING

Marine Integral Type Rubber Bearing
CB*769-86

ISO9001 Supplier

Class Certificate

Export Supply

Reliable quality with competitive price D (mm) D1(mm) L (mm) Wight (kg) Normal Type ...



Key Highlights

Category	Stern Tube Bearing
Standard	CB
Weight / Size	Reliable quality with competitive price D (mm) D1(mm) L (mm) Wight (kg) ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.	

Technical Specifications			
Category	Stern Tube Bearing	Model / SKU	Marine-Integral-Type-Rubber-Bearing-CB-769-86
Standard	CB	Weight / Size	Reliable quality with competitive price D (mm) D1(mm) L (mm) Wight (kg) Normal Type Extension Type Normal Type Extension Type 40 64 120 140 1.01 1.178 45 68 135 155 1.114 1.297 50 74 150 170 1.488 1.686 55 78 150 170 1.32 1.496 60 84 165 210 1.729 2.2 65 88 180 230 1.795 2.294 70 96 190 250 2.733 3.6 75 102 210 270 3.225 4.185 80 108 220 290 3.661 4.825 85 114 240 300 4.551 5.688 90 120 250 320 5.367 6.87 95 125 260 340 5.817 7.603 100 130 280 350 6.531 8.164 105 137 290 370 7.681 9.8 110 144 300 385 8.953 11.49 120 156 330 420 11.963 15.226 125 163 163 440 14.227 18.412 130 170 170 450 17.193 21.492 140 182 182 480 19.663 24.837 150 194 194 520 24.575 31.168 160 206 206 550 30.24 37.8 170 218 218 580 35.956 45.396 180 228 228 620 38.594 47.857 190 238 238 650 42.053 52.567 200 250 250 680 50.162 62.019
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

China Marine Integral Type Rubber Bearing CB*769-86:



Reliable quality with competitive price

D (mm)	D1(mm)	L (mm)		Wight (kg)	
		Normal Type	Extension Type	Normal Type	Extension Type
40	64	120	140	1.01	1.178
45	68	135	155	1.114	1.297
50	74	150	170	1.488	1.686
55	78	150	170	1.32	1.496
60	84	165	210	1.729	2.2
65	88	180	230	1.795	2.294
70	96	190	250	2.733	3.6
75	102	210	270	3.225	4.185
80	108	220	290	3.661	4.825
85	114	240	300	4.551	5.688
90	120	250	320	5.367	6.87
95	125	260	340	5.817	7.603
100	130	280	350	6.531	8.164
105	137	290	370	7.681	9.8
110	144	300	385	8.953	11.49
120	156	330	420	11.963	15.226
125	163	163	440	14.227	18.412
130	170	170	450	17.193	21.492
140	182	182	480	19.663	24.837
150	194	194	520	24.575	31.168

160	206	206	550	30.24	37.8
170	218	218	580	35.956	45.396
180	228	228	620	38.594	47.857
190	238	238	650	42.053	52.567
200	250	250	680	50.162	62.019