

GB MARINE GLOBE VALVE

ISO9001 Supplier

Class Certificate

Export Supply

Marine Low Pressure Bronze Male Threaded Straight Stop Valve GB/T1951-2008

Design Standard:GB/T1951-2008 Test Standard: GB/T600 Type A-Straight type Type B-Angle type Test Pressure: Body---2.4Mpa, Seal---1.76Mpa Nominal Pressure(Mpa...



Key Highlights

|               |                                                                       |
|---------------|-----------------------------------------------------------------------|
| Category      | GB Marine Globe Valve                                                 |
| Standard      | GB                                                                    |
| Material      | Bronze                                                                |
| Weight / Size | Body-Bronze Bonnet-Bronze Disc-Bronze Stem-Bronze Main Size List(mm): |
| Certificate   | CCS, BV, ABS, NK, DNV/GL, LR                                          |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

|               |                                                                       |             |                                                                            |
|---------------|-----------------------------------------------------------------------|-------------|----------------------------------------------------------------------------|
| Category      | GB Marine Globe Valve                                                 | Model / SKU | Marine-Low-Pressure-Bronze-Male-Threaded-Straight-Stop-Valve-GB-T1951-2008 |
| Standard      | GB                                                                    | Material    | Bronze                                                                     |
| Weight / Size | Body-Bronze Bonnet-Bronze Disc-Bronze Stem-Bronze Main Size List(mm): | Certificate | CCS, BV, ABS, NK, DNV/GL, LR                                               |
| Warranty      | 12 Months unless specified otherwise                                  | Origin      | China                                                                      |

CONTENTS

- China Marine Low Pressure Bronze Male Threaded Straight Stop Valve GB/T1951-2008:
- Main Parts & Material:
- Main Size List(mm):

China Marine Low Pressure Bronze Male Threaded Straight Stop Valve  
GB/T1951-2008:



Design Standard:GB/T1951-2008

Test Standard: GB/T600

Type A-Straight type

Type B-Angle type

Test Pressure: Body---2.4Mpa, Seal---1.76Mpa

|                       |                      |                                                                         |
|-----------------------|----------------------|-------------------------------------------------------------------------|
| Nominal Pressure(Mpa) | Nominal Diameter(mm) | Applicable medium                                                       |
| 1.6                   | 6-32                 | sea water,fresh water, fuel oil,lubrication oil and steam not over 250℃ |

Main Parts & Material:

Body-Bronze

Bonnet-Bronze

Disc-Bronze

Stem-Bronze

Main Size List(mm):

| DN<br>(mm) | Structure Dimension |    |     |     |    | thread joint |      |    |    |    | hand wheel |    | lift range m≈ | Weight(kg) |      |
|------------|---------------------|----|-----|-----|----|--------------|------|----|----|----|------------|----|---------------|------------|------|
|            | L                   |    | H≈  |     | H1 |              |      |    |    |    |            |    |               | A          | B    |
|            | A                   | B  | A   | B   | B  | D            | D1   | D2 | L0 | L1 | D0         | S1 |               |            |      |
| 6          | 78                  | 34 | 90  | 77  | 32 | M18×1.5      | 15.8 | 9  | 13 | 2  | 50         | 6  | 5             | 0.34       | 0.28 |
| 10         | 80                  | 34 | 90  | 78  | 32 | M22×1.5      | 19.8 | 3  | 14 | 2  | 50         | 6  | 5             | 0.40       | 0.32 |
| 15         | 95                  | 46 | 100 | 91  | 40 | M30×2        | 27   | 19 | 19 | 3  | 50         | 6  | 5             | 0.60       | 0.53 |
| 20         | 110                 | 49 | 112 | 100 | 44 | M36×2        | 33   | 24 | 19 | 3  | 65         | 7  | 6             | 0.98       | 0.96 |
| 25         | 125                 | 53 | 128 | 113 | 48 | M42×2        | 39   | 29 | 20 | 3  | 80         | 8  | 8             | 1.38       | 1.33 |
| 32         | 145                 | 58 | 136 | 121 | 56 | M48×2        | 45   | 36 | 20 | 3  | 80         | 8  | 9             | 1.60       | 0.55 |

The description/sizes may be different with goods, please check with us when order.

