

PERSONAL TRANSFER BASKET

Marine Offshore Personal Transfer Basket

ISO9001 Supplier

Class Certificate

Export Supply

Marine Offshore Personal Transfer Basket Our transfer baskets are simple equipments for carrying people and supplies,especially suitable for all kinds of vessel work platform. And they are composed of t...



Key Highlights

Category	Personal Transfer Basket
Standard	EN
Material	PP rope etc
Weight / Size	Model Total height Board diameter Capacity SWL Weight Volume (mm) (mm) (...)
Certificate	ABS,CCS can be apply.

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Personal Transfer Basket	Model / SKU	Marine-Offshore-Personal-Transfer-Basket
Standard	EN	Material	PP rope etc
Weight / Size	Model Total height Board diameter Capacity SWL Weight Volume (mm) (mm) (Persons) (kg) (kg) (m3) HY-4 6320 1420 4 380 70 0.45 HY-6 10050 1600 6 570 95 0.65 HY-8 10050 1860 8 760 100 0.75 HY-10 10050 1860 10 950 150 0.8 HY-18 10050 2500 18 1700 150 1.6 HYL-4 6320 1420 4 380 250 5.5 HYL-6 6320 1550 6 570 270 6 HYL-8 6320 1600 8 760 280 6.5 HYL-10 6320 1640 10 950 290 7 HYL-12 6320 1950 12 1140 380 11	Certificate	ABS,CCS can be apply.
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	China Marine Offshore Personal Transfer Basket: Specification:
----------	--

China Marine Offshore Personal Transfer Basket:

Marine Offshore Personal Transfer Basket

Our transfer baskets are simple equipments for carrying people and supplies,especially suitable for all kinds of vessel work platform.

And they are composed of top ring,middle ring,sling,rope net,foamed plastic liner,under pan and stabilizing device.

Specification:

Horizontal type(model HY).

Vertical type(model HYL) .

Model	Total height	Board diameter	Capacity	SWL	Weight	Volume
	(mm)	(mm)	(Persons)	(kg)	(kg)	(m3)
HY-4	6320	1420	4	380	70	0.45
HY-6	10050	1600	6	570	95	0.65
HY-8	10050	1860	8	760	100	0.75
HY-10	10050	1860	10	950	150	0.8

HY-18	10050	2500	18	1700	150	1.6
HYL-4	6320	1420	4	380	250	5.5
HYL-6	6320	1550	6	570	270	6
HYL-8	6320	1600	8	760	280	6.5
HYL-10	6320	1640	10	950	290	7
HYL-12	6320	1950	12	1140	380	11